POF USA

Pure. American. Revolution.
2020



REBEL22 NEW!

Get ready for the most fun you've had with a .22LR. Brand new for 2020 we bring you the Rebel. To say that we are extra excited about this one would be an understatement. We have yet to have someone shoot the Rebel and not walk away with a big smile.

Our love of shooting, training, and prepping future shooters were the driving factors of development. We had to bring a quality to this platform which hasn't been seen before. Aside from its light weight, the Rebel is equipped with a Mission First Tactical pistol blade and threaded barrel with thread protector. The receiver accepts AR-15 pattern stock and brace options, and the trigger and selector are also compatible with AR-15 options.

The Rebel .22 features a monolithic upper receiver and injection molded lower receiver. To top it off, it accepts the widely available 10/22° magazine.

Pistol	.22LR	8"	Monolithic M-LOK	3.3 lbs	Black Anodized: #01664

FAILURE IS SIMPLY AN OPPORTUNITY TO BEGIN AGAIN, THIS TIME MORE INTELLIGENTLY.

- HENRY FORD

Failure is the building block of success, and fear of failure keeps most companies building the same products year after year. As patriots, we can't stand by and let "good-enough" dominate our minds. What you don't see, are the countless failures we overcome in order to bring new innovations to market. Every new product is exposed to countless hours of torture, R&D, and user feedback. This ensures we continue to bring innovation to what we love the most, firearms and freedom.











Here's to another decade of innovation!

	_
PROPRIETARY ENHANCEMENTS	6
ROGUE	8
REVOLUTION DI (DIRECT IMPINGEMENT)	10
REVOLUTION PD (PISTON DRIVEN)	12
P415	14
RENEGADE+	16
MINUTEMAN	18
WONDER	19
P19	20
UPPER & LOWER RECEIVERS	21
PARTS & ACCESSORIES	22

PROPRIETARY ENHANCEMENTS **ONLY FOUND ON A POF-USA RIFLE**

POF has positioned itself as the leader in innovation through superior engineering and design in making the AR platform the absolute best it can be. Here are a few things that are 100% unique to POF-USA rifles. This offers a brief insight into the attention to detail we put into everything we do. These are enhancements that no other manufacturer can claim, as most of them prefer their comfort zone of fitting standard parts together instead of delivering reliable innovation to those that need it most; our Patriots.





E2 CHAMBERS ARE BUILT INTO EVERY RIFLE WE MAKE



POF's patented E² dual-extraction technology consists of four small channels cut into the walls of the chamber allowing a small amount of gas pressure to push against the neck of the spent case. This pressure assists in extraction by breaking the seal between the chamber and

case as well as pushing the spent case to the rear as the extractor is pulling to the rear. This removes a tremendous amount of work that would otherwise be left up to the extractor.

The extractor is now pulling on a dislodged cartridge case. With the addition of this feature, your extractor can last up to five times longer than it would in a standard chamber! This push/pull dual extraction system has proven extremely effective in our commitment to increasing the reliability of the AR platform.



Our gas piston and direct impingement rifles utilize proprietary adjustable gas systems letting you tune your rifle to the exact operating speed it should be, maximized for the environment you're in. Shooting suppressed? Multiple loads of ammo? Turn the gas off? You can do that, and keep your rifle running as smooth as possible.



MODULAR RAILED RECEIVER

The patented Modular Railed Receiver (M.R.R) is POF's crown jewel for precision and extreme rigidity. This is a two piece upper assembly with a free-floating monolithic handguard that slides on and interfaces directly with the upper receiver's reinforced backbone. This backbone is five-times thicker than standard flattop platforms.

The suspended handguard keeps your grip and accessories from weighing on the barrel, and with the help of our heat sink barrel nut, reduces stress and flex in the barrel extension area. This ensures both extreme rigidity and accuracy by directing stress risers toward the upper assembly's strongest, most reinforced materials.





BOLT CARRIER GROUP

Our Key-Lock bolt carrier group is comprised of a Nitride heat treated carrier and stainless steel gas key. The gas key is secured with a staked screw and dove tailed into the carrier for an extremely rigid design. This design helps reduce carrier tilt. Our bolt carrier groups feature a nickel plated bolt & extractor, and chrome plated firing pin. The finishes are both corrosion resistant and introduce lubricious characteristics to the action.



OVERSIZED HEAT SINK BARREL NUT

The patented oversized heat sink barrel nut is one of our most significant innovations that distinguishes POF from the competition. At three inches long it completely encompasses the chamber and throat area of the barrel where expanding gas temperatures peak. When you take into account the radiation properties of aluminum compared to traditional steel, you have 17 times more heat dissipation than a standard AR. Our barrel nut's 3" length also gives the operating rod substantial guiding surface assuring constant positive contact with the bolt carrier. Our enhanced backbone receiver also moves the upper's natural stress point forward. This adds a massive amount of rigidity to the overall platform and is critical when vertical fore grips are being pulled on the upper assembly.



ANTI-TILT BUFFER TUBE

Our MIL-SPEC aluminum anti-tilt buffer tube features "carrier cradle" extensions to ensure that the carrier is always supported by the buffer tube even when the bolt carrier is fully forward. This prevents carrier tilt and premature wear of the buffer tube. The buffer detent now doubles as a lock that inhibits the buffer tube from rotating and becoming loose under adverse conditions. The anti-tilt buffer tube also features three drain holes.



ROLLER CAM PIN

Our patented roller cam pin is a prime example of how we strive to reduce friction and drag in the action. Standard AR cam pins feature a square steel head that literally grinds and carves away at the inside of the receiver. POF's NP3 coated roller head actually rolls inside the channel of the upper, thus eliminating friction and prolonging the life of the upper.

DROP-IN TRIGGER SYSTEMS

Our single stage, non-adjustable drop-in triggers boast crisp 3.5, 4, and 4.5 pound pull weights. They are assembled in aluminum housings complete with urethane feet and are ready for competition, hunting, and tactical applications right out of the box. The trigger, disconnect, and hammer are wire EDM cut from American A2 tool steel and are all nitride heat-treated for ultimate strength and corrosion resistance. All POF triggers come with KNS Precision® stainless steel non-rotating anti-walk pins specifically designed for our ambidextrous lower receivers.





TRIPLE PORT MUZZLE BRAKE

Designed to precisely compliment the POF platform our nitride heat-treated muzzle brake controls gas dispersion and reduces muzzle rise. It is effective in allowing the shooter to have faster follow up shots and has unbelievably soft felt recoil. It features blunt strike prongs and includes our nitride heat-treated collar jam nut.

NITRIDE HEAT-TREATED BARREL

Proper gas regulation and lubricated mechanics are nothing without the precision and durability of a quality barrel. Our button pulled chrome-moly 5R barrels feature polygonal rifling for superior range, bullet velocity, and accuracy. They are then nitride heat-treated for the ultimate in strength. wear resilience, and corrosion resistance.

American INGENUITY

5.56 BUFFER &

ANTI-TILT EXTENSION TUBE

AR-15 parts are featured throughout the Rogue, such as the buffer, charging handle, bolt carrier, and barrel nut. Plus, it features our anti-tilt buffer tube which prevents carrier tilt and premature wear on the buffer tube.

AMBIDEXTROUS QD ENDPLATE

Easily attached your sling on either side. Built in anti-rotation feature

AMBIDEXTROUS SELECTOR

Easy safety manipulation for right and left handed shooting.

REVOLUTION DI 5.56 BOLT CARRIER

Like the Revolution DI, The Rogue uses a 5.56 bolt carrier resulting in less mass and reduced recoil. It also uses our patented roller cam pin for reduced friction on the upper receiver.

RENEGADE HANDGUARD & HEAT SINK BARREL NUT

Featuring the slim Renegade handguard with multiple QD points and patented heat sink barrel nut for more effective heat dissipation.

MATCH GRADE STAINLESS STEEL BARREL WITH SINGLE PORT MICRO-B MUZZLE BRAKE MIDLENGTH Midlength g

Featuring our patented E² dual extraction technology. With this feature your extractor can last up to five times longer than in a standard chamber.

MIDLENGTH GAS BLOCK

Midlength gas system for smoother shooting and enhanced reliability.



We've done it again. We've bested our lightest .308 rifle, the Revolution DI, by almost a full pound, and that's saying something. The Rogue weighs in at just 5.9lbs, making it the lightest .308 AR in the world.

ROGUE

The Rogue pistol weighs just 5.6 pounds!

IT'S ABOUT THE WEIGHT, AND SAVING

Project "Rogue" was an exercise to turn the Revolution platform into the lightest .308 semi auto rifle on the market, and to do it without needless "lightening" cuts. All while delivering a rifle at a price point affordable to serious shooters.

The result is a sub 6 pound .308 rifle packed with proprietary and patented innovations. Thanks to its ridiculously light weight, never before has a semi auto .308 been a more realistic option to carry in the field, no matter how far the journey.

The Rogue features a stylized forged receiver set, stainless steel match grade barrel, Revolution DI BCG, ambidextrous selector, multiple QD sling attachment points, and Renegade rail & oversized heatsink barrel nut, all topped off with our Micro B muzzle brake.

ROGUE	CALIBER	BARREL	HANDGUARD	WEIGHT	COLOR/PART #
Rifle	.308 WIN	16.5"	11" Renegade Rail	5.9 lbs	Black Anodized: #01662
Pistol	.308 WIN	12.5"	11" Renegade Rail	5.6 lbs	Black Anodized: #01665

^{*}Specs and furniture are subject to change. Weight is based on empty g



BLACK

The American REVOLUTION

5.56 BUFFER & ANTI-TILT EXTENSION TUBE

AR-15 parts are featured hroughout the Revolution DI. such as the buffer, charging andle, bolt carrier, and barrel nut. Plus, it features our anti-tilt buffer tube which prevents carrier tilt and premature wear on the buffer tube.

Io matter your shooting side or style, eraonomic ambi controls are built in to the billet upper and lower receivers, even our mahawk ambi charging andle is included. The upper receiver is dimensionally the same size as a MIL-SPEC 5.56.

Ne've created a .308 that uses a 5 56 holt carrier resulting in less mass and reduced recoil. It also uses our patented roller cam pin or reduced friction on the upper receiver. Reinforced metallurgy in the bolt provides additional trength and pressure resilience to the sidewalls of the bolt face by using a proprietary alloy.

RENEGADE HANDGUARD & JTILIZES A 5.56 BOLT CARRIER HEAT SINK BARREL NUT

The Revolution DI features our Renegade handguard with multiple OD points and patented oversized heat sink barrel nut for more effective heat dissipation.

FLUTED BARREL

The Revolution DI barrel feature: our patented E2 dual extraction technology. With this feature your extractor can last up to five imes longer than in a standard

9-POSITION RIFLE LENGTH

DICTATOR GAS BLOCK

Easily tune for your ammo.

environment, or silencer.

Effectively reduces felt recoil and muzzle rise.

Available in 6.5 Creedmoor and pistol configurations





Based off of our original award winning Revolution, The Revolution DI is still a .308 battle rifle that is the same size as your AR-15. This time, the Revolution DI features our 9-position rifle length DIctator Gas Block.



We broke barriers and won awards when we released the piston driven .308 Revolution. By popular demand, The Revolution DI provides the same technology, same durability, same features, and same AR-15 size, but in a smaller direct impingement system featuring our 9-position adjustable Dictator gas block and Renegade rail. There is virtually nothing left to upgrade.

The original Revolution weighed in at a paltry 7.35 pounds, turning heads for its incredible light weight and small stature for a .308. The Revolution DI weighs even less at 6.81 pounds with a 16" barrel, making it ideal for just about any situation you put it in.

REVOLUTION DI	CALIBER	BARREL	HANDGUARD	WEIGHT	COLOR/PART #
Rifle	.308 WIN	16.5"	14.5" Renegade Rail	6.8 lbs	Black Anodized: #01581 Burnt Bronze: #01582
Rifle	6.5 Creedmoor	20"	14.5" Renegade Rail	7.6 lbs	Black Anodized: #01566 Burnt Bronze: #01567
Pistol	.308 WIN	12.5"	11.5" Renegade Rail	6.3 lbs	Black Anodized: #01599 Burnt Bronze: #01600







MUSCLE

5.56 BUFFER & ANTI-THE EXTENSION TUBE

AR-15 parts are featured hroughout the Revolution, suc as the buffer, charging handle, oolt carrier, and barrel nut. Plu it features our anti-tilt buffer tube which prevents carrier tilt and premature wear on the buffer tube.

ULLY AMBIDEXTROUS

lo matter your shooting side or tyle, ergonomic ambi controls re built in to the billet upper and lower receivers, even our mahawk ambi charging handle is included. The upper receiver is dimensionally the same size as a MIL-SPEC 5.56.

JTILIZES A 5.56 BOLT CARRIER

Ne've created a .308 that uses a 5.56 bolt carrier resulting in less mass and reduced recoil. It also ises our patented roller cam pin or reduced friction on the upper eceiver. Reinforced metallurgy n the bolt provides additional trength and pressure resilience to the sidewalls of the bolt face by using a proprietary alloy.

MODULAR RAILED RECEIVER & HEAT SINK BARREL NUT

The Revolution features our new limline Edge handguard with multiple QD points and patented oversized heat sink barrel nut for more effective heat dissipation

IITRIDE HEAT TREATED -POSITION RIFLE LENGTH LUTED BARREL ADJUSTABLE GAS PISTON

The Revolution fluted barrel Easily tune for your ammo, eatures our patented F2 dual environment, or silencer. Piston extraction technology. With this systems trap hot gasses and feature your extractor can last carbon in the gas block, allowing up to five times longer than in a the rifle to run cooler, cleaner

OVERSIZED TRIPLE PORT MU77LE BRAKE

Effectively reduces felt recoil and muzzle ríse.

MATCH GRADE TRIGGER

4.5lb curved POF Drop-in trigger with KNS anti-walk pins.

American engineering and innovation led us to create the Revolution, a .308 battle rifle that employs our tried-and-true gas piston system. Thanks to this .308 using a 5.56 bolt carrier, the receiver and overall measurements are the same as a 5.56. A first for the industry, setting a new standard for .308 battle rifles.







Available in 6.5 Creedmoor and pistol configurations

> such as an ambidextrous charging handle, bolt carrier, cam pin, buffer, heat sink barrel nut, handguard, and 5-position gas piston operating system. The barrel extension, bolt assembly, upper, and lower receiver are the exact same size as those on an AR-15. This is truly an AR-15 that shoots in .308!

bolt carrier and other 5.56 parts allowing for a shorter overall receiver size and reduced weight.

Weighing in at 7.3 lbs, the Revolution features our new Edge handguard with four built-in QD mounts, and is packed with all you've come to expect from POF. Fully ambidextrous billet receiver set, high-phosphorus nickel coated bolt carrier group, 5-position adjustable gas piston, single stage match grade trigger, and more. With our redesigned triple port muzzle brake recoil management is not an issue. YOU HAVE JUST FOUND YOUR "ONE GUN."

THE REVOLUTION™ IS OUR .308 RIFLE THAT HANDLES LIKE A 5.56 - BECAUSE IT'S THE SAME SIZE AND

WEIGHT AS ONE. This isn't a stripped down rifle that's saving weight by making extra cuts or lacking the

battle rifle features you're accustomed to. We've worked Patriot magic into the Revolution by using a 5.56

THE REVOLUTION IS NOT A SMALL FRAME .308, IT'S SMALLER! The Revolution features many 5.56 parts;

REVOLUTION PD	CALIBER	BARREL	HANDGUARD	WEIGHT	COLOR/PART #
Rifle	.308 WIN	16.5"	14.5" M-LOK MRR	7.3 lbs	Black Anodized: #01235 Burnt Bronze: #01467
Rifle	6.5 Creedmoor	20"	14.5" M-LOK MRR	8.3 lbs	Black Anodized: #01564 Burnt Bronze: #01565
Pistol	.308 WIN	12.5"	11.5" M-LOK MRR	7.0 lbs	Black Anodized: #01391 Burnt Bronze: #01584





The American STANDARD

handquard with multiple QD

points and patented oversized

heat sink barrel nut for more

effective heat dissipation.

ANTI-TILT EXTENSION TUBE

Anti-tilt buffer tubes grab the buffer detent to eliminate stock rotation, prevent carrier tilt in piston driven rifles by supporting the back of the carrier, as well as reducing wear and tear both on the bolt carrier and the buffer tube

FULLY AMBIDEXTROUS

Built on the Gen 4 lower, the P415 is ergonomic no matter your shooting side or style.

ONE PIECE BOLT CARRIER

corrosion resistance.

High-phosphorus nickel coated bolt carrier, chrome plated bolt, extractor, and firing pin for

MODULAR RAILED RECEIVER & HEAT SINK BARREL NUT Featuring our new slimline Edge

4150 chrome vanadium alloy barrel featuring our patented E² dual extraction technology. With this feature your extractor can last up to five times longer than in a standard chamber.

NITRIDE HEAT TREATED

5-POSITION MIDLENGTH ADJUSTABLE GAS PISTON

Easily tune for your ammo, environment, or silencer. Piston systems trap hot gasses and carbon in the gas block, allowing the rifle to run cooler, cleaner and longer.

TRIPLE PORT MUZZLE BRAKE

Nitride heat treated muzzle brake effectively reduces felt recoil and muzzle rise.

MATCH GRADE TRIGGI

4.5lb curved POF Drop-in trigger with KNS anti-walk pins.

Unfavorable conditions. It's what the P415 was made for. Frankly, it may get a little bored if it only receives the occasional trip to the range. A successful weekend of shooting is a low barrier of entry. We're more interested in a successful lifetime of shooting... no matter the environment.

P415 pistols and uppers available in 5.56 & .300BLK. Uppers Work with your MIL-SPEC lower! See page 21.



INSTOPPABLE IN UNFAVORABLE CONDITIONS

The P415 was engineered to be virtually unstoppable in unfavorable conditions. It is a product of continuous development and improvement to the AR platform that no other rifle company has attempted or succeeded at.

The reliability has been tested time after time, and the operating system perfected. E² Extraction Technology, complete ambidextrous fire controls, modular free floating rail platform, and numerous internal improvements make it the pinnacle of all-purpose 5.56 caliber sporting rifles. The P415 simply will not fail when you need it most.

Rifle	5.56 NATO	16.5"	14.5" M-LOK MRR	7.0 lbs	Black Anodized: #01143 Burnt Bronze: #01145
Pistol	5.56 NATO	10.5"	9" M-LOK MRR	6.42 lbs	Black Anodized: #01127 Burnt Bronze: #01129
Pistol	.300 BLK	10.5"	9" M-LOK MRR	6.42 lbs	Black Anodized: #01513 Burnt Bronze: #01514

^{*}Specs and furniture are subject to change. Weight is based on empty of





BLACK

SURNT BRONZE

American INNOVATION

ANTI-TILT EXTENSION TUBE

Anti-tilt buffer tubes grab the buffer detent to eliminate stock rotation, as well as reduce wear and tear both on the bolt carrier and the buffer tube.

Built on the Gen 4 lower, the Renegade+ is ergonomic no matter your shooting side or style.

FULLY AMBIDEXTROUS

Keylocked, staked, and bolted for superior gas key stability. The carrier is Nitride heat treated for the ultimate in heat & pressure tolerance, lubricity, and wear resilience. It features a nickel plated bolt & extractor, and

chrome plated firing pin.

KEYLOCK BOLT CARRIER GROUP

RENEGADE HANDGUARD & HEAT SINK BARREL NUT

e Featuring the slim Renegade or handguard with multiple QD points and patented heat sink barrel nut for more effective heat dissipation.

&

4150 chrome vanadium alloy barrel featuring our patented E² dual extraction technology. With this feature your extractor can last up to five times longer than in a standard chamber.

NITRIDE HEAT TREATED

DICTATOR ADJUSTABLE GAS BLOCK

Easily tune for your ammo, environment, or silencer.

TRIPLE PORT MUZZLE BRAKE Nitride heat treated muzzle

Pistols available in .300BLK and 5.56

Nitride heat treated muzzle brake effectively reduces felt recoil and muzzle rise.

MATCH GRADE TRIGGER
3.5lb straight POF Drop-in trigger with KNS anti-walk pins.



When we decided to make a direct impingement rifle, it couldn't be another "me-too" carbine. The Renegade+ embodies everything a direct impingement AR-15 can be.

Renegade+ uppers available in 5.56 & .300BLK. Uppers Work with your MIL-SPEC lower! See page 21.

RENEGADE •

THE DIRECT IMPINGEMENT RIFLE THAT EXCEEDS ALL EXPECTATION

The Renegade+ addresses every weak point of the direct impingement system. Platform advancements such as our roller cam pin and patented heat sink barrel nut go well above mere aesthetics often found in rifles today.

The Dictator 9-position adjustable gas block gives you ultimate control of your rifle, whether tuning for ammo load or suppressor use. The straight gas tube eliminates heat build up from the weak points of standard gas tubes. And the roller cam pin ensures a smooth and more reliable relationship with the upper receiver.

Featuring our Gen 4 billet lower receiver and Keylock Bolt Carrier Group, this receiver is completely ambidextrous and includes our flat 3.5 lb match grade trigger. Competition ready right out of the box. The magic in the upper receiver is held within our Keylock Bolt Carrier Group which is Nitride heat treated for maximum protection & reliability and features a keylocked gas key and single screw. The Renegade+ comes with our M-LOK compatible Renegade rail, covering the 16.5" nitride heat treated barrel.

Rifle	5.56 NATO	16.5"	14.5" Renegade Rail	6.3 lbs	Black Anodized: #00856
					Burnt Bronze: #00910
Pistol	5.56 NATO	10.5"	9" Renegade Rail	5.94 lbs	Black Anodized: #01488
					Burnt Bronze: #00996
Pistol	.300 BLK	10.5"	9" Renegade Rail	5.94 lbs	Black Anodized: #01462
					Burnt Bronze: #01463

Specs and furniture are subject to change, weight is based on empty gun





LACK

BURNT BRONZE

MINUTEMAN NEW!

Minutemen were civilian colonists tasked with being a defensive force to be prepared at a moments notice. They took it upon themselves to be trained in various weapons and tactics. We deeply admire their patriotism and self-reliance. The "Minuteman" is our twist on what a direct impingement sporting carbine should be, topped with the controls and enhancements most important to remain mobile and light.

The Minuteman has everything a respectable rifle needs and nothing it doesn't. Mount your favorite optic and the Minuteman is ready for the range or the field right out of the box. Go ahead and stack these features up to your favorite "other brand" carbine. We think you'll be impressed.

Rifle	5.56 NATO	16.5"	14.5" Renegade Rail	6.2 lbs	Black Anodized: #01644 Tungsten: #01645
Rifle	.350 Legend	16.5"	14.5" Renegade Rail	6.2 lbs	Black Anodized: #01646 Tungsten: #01647
Pistol	5.56 NATO	10.5"	9" Renegade Rail	5.5 lbs	Black Anodized: #01658 Tungsten: #01659
Pistol	.350 Legend	10.5"	9" Renegade Rail	5.5 lbs	Black Anodized: #01660 Tungsten: #01661

WONDER

Our answer to a lightweight carbine with just the right amount of upgrades. The Wonder provides a beautiful balance between utility and luxury. It features our ambidextrous rear sling mount, Renegade Rail with patented heat sink barrel nut, Keylock bolt carrier group, single stage straight match grade trigger, our new Strike Eagle ambidextrous charging handle, and our Micro B single port muzzle brake.

The blue titanium Cerakote not only provides protection from the elements, it also ensures you'll stand out at the range or in the field.

WONDER	CALIBER	BARREL	HANDGUARD	WEIGHT	COLOR/PART #
Rifle	5.56 NATO	16.5"	14.5" Renegade Rail	6.17 lbs	Blue Titanium: #01580

RENEGADE HANDGUARD &

Featuring the slim Renegade

handquard with multiple QD

barrel nut for more effective

HEAT SINK BARREL NUT

ANTI-TILT EXTENSION TUBE Anti-tilt buffer tubes grab the ouffer detent to eliminate stock otation, as well as reduce wear and tear both on the bolt carrier

and the buffer tube.

MBIDEXTROUS OD ENDPLATE asily attached your sling on eithér side. Built in anti-rotation

STRIKE EAGLE CHARGING

The Strike Eagle charging andle is built for speed and

IIL-SPEC ENHANCED BOLT CARRIER GROUP

Featuring our patented roller cam pin, black Nitride bolt carrier nickel plated bolt, extractor, and

RENEGADE HANDGUARD & HEAT SINK BARREL NUT

Featuring the slim Renegade nandquard with multiple QD points and patented heat sink parrel nut for more effective

IITRIDE HEAT TREATED

4150 chrome vanadium allov barrel featuring our patented E dual extraction technology. With this feature your extractor can last up to five times longer than in a standard chamber.

Midlength gas system for Anti-tilt buffer tubes grab the

smoother shooting and enhanced

ANTI-TILT EXTENSION TUBE

buffer detent to eliminate stock rotation, as well as reduce wear and tear both on the bolt carrier and the buffer tube.

MBIDEXTROUS SELECTOR & MBIDEXTROUS OD ENDPLATE STRIKE EAGLE CHARGING asily attached your sling on eithér side. Built in anti-rotation

A must have for various shooting styles and positions, the Wonder comes standard with our ambidextrous selector and Strike Eagle charging handle.

MIL-SPEC ENHANCED BOLT CARRIER GROUP

Featuring our roller cam pin, the carrier and bolt are nitride heat treated with a hard chrome

NITRIDE HEAT TREATED

barrel featuring our patented E2 points and patented heat sink dual extraction technology. With this feature your extractor can last up to five times longer than in a standard chamber.

MICRO-B MUZZLE BRAKE Nitride heat treated single port

4150 chrome vanadium alloy muzzle brake to effectively reduce felt recoil and muzzle rise.

MATCH GRADE TRIGGER 3.5lb straight POF Drop-in trigger with KNS anti-walk pins.







Available in .350 Legend and 5.56 rifle and pistol configurations

5600000000

reliability.



3.5lb straight POF Drop-in trigger with KNS anti-walk pins.





CALIBER

Gen 4 Glock 19 compatible

Gen 4 Glock 19 compatible #01431

P19

P19 Frame

G-Series Slide

P19 Gentlemen's Pistol 9mm

PART#

#01663

#01677

and handling.

The slide is machined from 17-4 stainless steel with a Nitride heat treated Finish for maximum environmental protection. It also features an optics plate that will fit the Trijicon® RMR footprint, and ships with a fiber optic front sight and blacked out rear sight.

The frame features a flared magwell, contoured grip, interchangeable backstraps, enhanced mag release, slide stop guard, extended beaver tail, enlarged trigger guard, forward thumb ledges, and more.

Now for the ultimate package, we've combined them together with our Nitride match grade barrel, built them out with upgraded internals, and delivered a complete pistol that shooters of all levels will appreciate.

Packed with innovative features and ergonomics, our Gen 4 lower receiver

GENUINE POF-USA UPPER & LOWER RECEIVERS

is the perfect place to start for any build. Build it up slowly by pairing it with one of our upper receivers, or install one of our uppers directly on your lower. Most of our uppers are compatible with MIL-SPEC lower receivers.



GEN4 LOWER RECEIVER FEATURES

- 1. Ambidextrous Bolt Release with Enhanced Bolt Catch
- 2. Ambidextrous Safety Selector
- 3. Receiver Tension Screws
- 4. Oversized Mag Well Flare
- 5. Ambidextrous Recessed Finger Rest
- 6. Ambidextrous Magazine Release
- 7. Ambidextrous Bolt Hold Open
- 8. Oversized Integrated Trigger Guard w/ Grip Relief



00729	ATO Lower Receivers P-15 MIL-SPEC Lower Receiver, Stripped	BLACK ANOD
	P-15 MIL-SPEC Pistol Assembly, Complete	BLACK ANOD
	Gen 4 223 Lower Receiver, Stripped	BLACK ANOD
	Gen 4 .223 Lower Receiver, Complete	BLACK ANOD
	evolution Lower Receivers	5 6
01656	Revolution Lower Receiver, Complete	BLACK ANOD
01657	Revolution Lower Receiver, Complete	BURNT BRO
5.56 N	ATO PISTON Upper Receiver Assemblies	
01269	P415 Edge Upper Receiver Assembly, 10.5" Barrel, 9" M-LOK Edge Rail	BLACK ANOD
01313	P415 Edge Upper Receiver Assembly, 10.5" Barrel, 9" M-LOK Edge Rail	BURNT BRO
01309	P415 Edge Upper Receiver Assembly, 16.5" Barrel, 14.5" M-LOK Edge Rail	BLACK ANOD
01320	P415 Edge Upper Receiver Assembly, 16.5" Barrel, 14.5" M-LOK Edge Rail	BURNT BRON
5.56 N	ATO Direct Impingement Upper Receiver Assemblies	
00912	Renegade + Upper Receiver Assembly, 10.5" Barrel, 9" Rail	BLACK ANOD
00907	Renegade + Upper Receiver Assembly, 16.5" Barrel, 14.5" Rail	BLACK ANOD
01325	Renegade + Upper Receiver Assembly, 16.5" Barrel, 14.5" Rail	BURNT BRO
01651	Renegade + Upper Receiver Assembly, 10.5" Barrel, 9" Rail	BURNT BRON
01652	Minuteman Upper Receiver Assembly, 16.5" Barrel, 14.5" Rail	BLACK ANOD
01654	Minuteman Upper Receiver Assembly, 10.5" Barrel, 9" Rail	BLACK ANOD
.300 B	LK Upper Receiver Assemblies	
01446	Renegade Plus Upper Receiver Assembly, 10.5" Barrel, 9.5" Rail	BLACK ANOD
01447	Renegade Plus Upper Receiver Assembly, 10.5" Barrel, 9.5" Rail	BURNT BROI
.350 L	EGEND Upper Receiver Assemblies	
01653	Minuteman Upper Receiver Assembly, 16.5" Barrel, 14.5" Rail	BLACK ANOD
01655	Minuteman Upper Receiver Assembly, 10.5" Barrel, 9" Rail	BLACK ANOD
Revol	ution .308 WIN Upper Receiver Assemblies	
01521	Revolution Piston Upper Receiver Assembly, 308WIN, 12.5" Barrel, 11.5" M-LOK Rail	BLACK ANOD
01626	Revolution Piston Upper Receiver Assembly, 308WIN, 12.5" Barrel, 11.5" M-LOK Rail	BURNT BRO
01522	Revolution Piston Upper Receiver Assembly, 308WIN, 14.5" Barrel, 11.5" M-LOK Rail	BLACK ANOD
01627	Revolution Piston Upper Receiver Assembly, 308WIN, 14.5" Barrel, 11.5" M-LOK Rail	BURNT BROI
01523	Revolution Piston Upper Receiver Assembly, 308WIN, 16.5" Barrel, 14.5" M-LOK Rail	BLACK ANOD
01628	Revolution Piston Upper Receiver Assembly, 308WIN, 16.5" Barrel, 14.5" M-LOK Rail	BURNT BRO
01620	Revolution DI Upper Receiver Assembly, 308WIN, 12.5" Barrel, 11" M-LOK Rail	BLACK ANOD
01621	Revolution DI Upper Receiver Assembly, 308WIN, 12.5" Barrel, 11" M-LOK Rail	BURNT BROI
01622	Revolution DI Upper Receiver Assembly, 308WIN, 16.5" Barrel, 14.5" M-LOK Rail	BLACK ANOD
01623	Revolution DI Upper Receiver Assembly, 308WIN, 16.5" Barrel, 14.5" M-LOK Rail	BURNT BRON
Revol	ution 6.5 Creedmoor Upper Receiver Assemblies	
01629	Revolution Piston Upper Receiver Assembly, 6.5 CM, 20" Barrel, 14.5" M-LOK Rail	BLACK ANOD
01630	Revolution Piston Upper Receiver Assembly, 6.5 CM, 20" Barrel, 14.5" M-LOK Rail	BURNT BRO
	• • • • • • • • • • • • • • • • • • • •	
01624	Revolution DI Upper Receiver Assembly, 6.5 CM, 20" Barrel, 14.5" M-LOK Rail	BLACK ANOD

SO MUCH MORE THAN MIL-SPEC

We look at every weak point of a MIL-SPEC rifle as an opportunity to innovate. Many of these parts are integrated into our rifles, which help set us apart from everyone else in the industry. With our ever-expanding accessory lineup, you can upgrade your standard MIL-SPEC carbine with genuine POF-USA parts. Our parts and accessories make your carbine run smoother, with increased reliability, and better ergonomics.

For example, our Renegade Rail is not only comfortable with multiple QD attachments and M-LOK compatibility, it also features our heat-sink barrel nut which dissipates heat 17 times faster than a standard MIL-SPEC barrel nut.

Our new bolt carrier group is a must for any serious shooter. From its keylock designed gas key and Nitride heat treat, to its nickel plated bolt and patented Roller Cam Pin, your rifle will enjoy an immediate boost in reliability.

This is just a sampling of our accessory offerings and it continues to grow. Any MIL-SPEC rifle will benefit from these upgrades.

See more at POF-USA.com



DROP-IN TRIGGER SYSTEM

Single stage 4.5lb: Two stage 2lb/2.5lb:



#01509



EFP TRIGGER SYSTEM

Single stage 4lb: Two stage 2lb/2.5lb:



#00516

#01511

Single stage 3.5lb:



STRAIGHT TRIGGER SYSTEM

Two stage 2lb/2lb:

#00858 #01510



KEY-LOCK BOLT CARRIER GROUP

The keylock design of this bolt carrier group is staked and bolted in, providing superior gas key stability. The carrier is Nitride heat treated for the ultimate in heat & pressure tolerance, lubricity, and wear resilience. Our bolt carrier groups feature a nickel plated bolt & extractor, and chrome plated firing pin. *For direct impingement rifles. Fits MIL-SPEC upper receivers.

NEW! 5.56: #01650



AMBI QD ENDPLATE

QD sling swivel extension plate #00781



ROLLER CAM PIN UPGRADE KIT

For direct impingement rifles

5.56: #00393

.308: #00306 (Roller cam pin only)



AMBI SELECTOR SWITCH

Fits any MIL-SPEC lower Standard: #00666 NEW! 50°/90°: #01461



ENHANCED UNIVERSAL BOLT CATCH

Fits any MIL-SPEC lower #00667

DICTATOR 9-POSITION ADJUSTABLE GAS BLOCK

Available for 5.56 & .308 rifles

5.56 Pistol Length: #00861 5.56 Carbine Length: #00837 5.56 Midlength: #00838 5.56 Rifle Length: #00839 .308 Midlength: #00855











3-PRONG FLASH HIDER

3-PORT MUZZLE BRAKE

1/2x28: #00870 5/8x24: #00871

OVERSIZED MUZZLE BRAKE 5/8x24: #01357

MICRO-B **UZZLE BRAKE**


#01577 1/2x28: #01578

RENEGADE RAIL KIT

For direct impingement 5.56 rifles. Includes heat sink barrel nut and QD mount recoil lugs.

9": #00967 11": #01033

14.5" (window):







ANTI TILT EXTENSION TUBE

Featuring carrier cradles ensuring the carrier is always supported by the buffer tube.

5.56: #00342 .308: #00517





M-LOK compatible handstops Set: #01456


AMBI CHARGING HANDLES

Available for 5.56 & .308 rifles

5.56 Tomahawk: #00849 #00850 .308 Tomahawk: #00813 5.56 Archangel: #00814 .308 Archangel:

#00782 5.56 Rattler: .308 Rattler: #00783

#01542 5.56 Strike Eagle: .308 Strike Eagle: #01543







STRIKE ENGLE

POF USA

PHONE: 623.561.9572 WEB: POF-USA.COM PRODUCT QUESTIONS: SALES@POF-USA.COM TECHNICAL SUPPORT: TECHNICAL@POF-USA.COM