

# FELLOW PATRIOTS,

Voting is a cornerstone of our democratic society, and its impact on shaping policies is undeniable. Similarly, the right to bear arms is a crucial aspect of American values. At POF-USA, we understand the importance of both these rights, and we're here to offer you the best choices for your firearms needs.

In the current year, protecting your Right to Bear Arms is more critical than ever. Regardless of your political affiliation, if you support the Second Amendment, voting is the way to ensure its preservation.

As Thomas Jefferson wisely said, "The strongest reason for the people to retain the right to keep and bear arms is, as a last resort, to protect themselves against tyranny in government." This right, enshrined in the Second Amendment, is at the core of our offerings.

After securing independence, the founding fathers embedded Americans' right to firearms in the Second Amendment. Today, our commitment to personal freedom and liberty is reflected in America's robust gun culture. With POF-USA, you not only preserve your rights but also gain access to the best firearms on the market.

For those choosing to bear arms, make the right choice with POF-USA. Whether it's the perfect rifle, pistol, trigger, gas block, or any other component, we proudly offer top-notch selections.

On behalf of all of us at POF-USA, thank you for choosing to support us. Your decision ensures the continuation of our commitment to providing the best in firearms.



Tracy Desomma  
President  
POF-USA







FOUNDED ON INNOVATION

# PROPRIETARY ENHANCEMENTS

POF-USA has positioned itself through superior engineering and design in making the AR platform the absolute best it can be. Each rifle is built with technology that is 100% unique to POF-USA rifles. These enhancements are explained in detail on our website (scan to read). These are enhancements that no other manufacturer can claim, as most of them prefer their comfort zone of fitting standard parts together instead of delivering reliable innovation to those that need it most - our Patriots.



LEARN MORE



## ANTI-TILT BUFFER TUBE

Our mil-spec aluminum anti-tilt buffer tube features “carrier cradle” extensions to ensure that the carrier is always supported by the buffer tube even when the bolt carrier is fully forward. This prevents carrier tilt and premature wear of the buffer tube. The buffer detent now doubles as a lock that inhibits the buffer tube from rotating and becoming loose under adverse conditions. The anti-tilt buffer tube also features three drain holes.



## KEYLOCK BOLT CARRIER GROUP + ROLLER CAM PIN

Our Keylock Bolt Carrier Group is a Nitride heat treated carrier with stainless-steel gas key. It is secured with a staked screw and dove tailed into the carrier for an extremely rigid design that helps reduce carrier tilt.

Standard AR cam pins feature a square steel head that literally grinds and carves away at the inside of the receiver. POF-USA's nickel coated roller head actually rolls inside the channel of the upper thus eliminating friction and prolonging the life of the upper.







## GEN 4 LOWER RECEIVER

The Gen 4 lower is the best of the best, no matter your shooting side or style. POF-USA redesigned the lower receiver from the ground up, not only improving the ergonomics and fitment, but also making it fully ambidextrous. Featuring a strong hand bolt hold open and release, receiver tension screws, integrated QD cups, a flared magwell, and oversized trigger guard, the Gen4 Lower Receiver is the ultimate building platform.



## E<sup>2</sup> DUAL-EXTRACTION TECHNOLOGY

POF-USA's patented E2 dual-extraction technology consists of four small channels cut into the walls of the chamber allowing a small amount of gas pressure to push against the neck of the spent case. This pressure assists in extraction by breaking the seal between the chamber and case as well as pushing the spent case to the rear as the extractor is pulling to the rear. This removes a tremendous amount of work that would otherwise be left up to the extractor.



## OVERSIZED HEAT SINK BARREL NUT

The patented oversized heat sink barrel nut is one of the most significant innovations. At three inches long it completely encompasses the chamber and throat area of the barrel where expanding gas temperatures peak. Take into account the radiation properties of aluminum compared to traditional steel and you have 17 times more heat dissipation than a standard AR. Our barrel nut's 3" length also gives the operating rod substantial guiding surface assuring constant positive contact with the bolt carrier.



## MOA GUARANTEE

All of our rifles are MOA guaranteed. You can count on your POF-USA firearm when your shot has to count.

## MODULAR RAILED RECEIVER [M.R.R.]

The patented Modular Railed Receiver (M.R.R) is POF-USA's crown jewel for precision and extreme rigidity. This is a two-piece upper assembly with a free-floating monolithic handguard that slides on and interfaces directly to the upper assembly thanks to our upper's reinforced backbone. This backbone is five-times thicker than standard flattop platforms. The suspended handguard keeps your grip and accessories from weighing on the barrel, providing for the most secure free-floated barrel on the market, and has more than 6 points of attachment securing the rail from experiencing any movement under stress.





ACTION

**DIRECT IMPINGEMENT**

MODEL

**13.75" RIFLE** **NEW**

WEIGHT  
**6.3 LBS**

CALIBER  
5.56, 300 BLK, & .308

LENGTH  
**36 IN**

### NON-NFA 13.75 IN BARREL

The 13.75" Series is a full feature rifle line that is optimized for maneuverability. The 13.75" barrel maintains ballistic efficiency while improving rifle handling in close quarters. All topped off with a pinned and welded KeyMo muzzle brake for your favorite suppressor.

The 13.75 inch barrel with pinned and welded Dead Air KeyMo Brake produces the shortest possible non-NFA rifle configuration, all while shifting the balance point of the rifle closer to the shooter.

**ROGUE**

**RENEGADE**

**P415  
EDGE**

**M1NUTEMAN**



# NON-NFA 13.75 IN BARREL



13.75" BARREL+  
KEYMO MUZZLE BREAK



FULL FEATURE POF  
RECEIVER SET



LEARN MORE



## HIGHLIGHTS

1. MFT FURNITURE
2. QD ENDPLATE
3. STRIKE EAGLE CHARGING HANDLE
4. 3.5LB STRAIGHT DROP IN TRIGGER
5. GEN4 FULLY AMBI LOWER RECEIVER  
[RENEGADE+ AND P425 ONLY]
6. KEYLOCK BCG  
[MINUTEMAN EXCLUDED]
7. RENEGADE HANDGUARD &  
HEAT SINK BARREL NUT
8. ADJUSTABLE GAS BLOCK [ROGUE,  
RENEGADE+, & P415]
9. NITRIDE HEAT TREATED 4150 CHROME  
VANADIUM BARREL
10. DEAD AIR KEYMO  
MUZZLE BRAKE







ACTION

## LEVER ACTION

MODEL

## 16.5" RIFLE

WEIGHT  
**5.75 LBS**

CALIBER  
**9MM**

LENGTH  
**36 IN**

### MODERNIZED LEVER ACTION RIFLE


The Tombstone's compact overall length is just 36" and comes in at an ultra-lightweight 5.75lbs (unloaded weight). The proprietary trigger design features a smooth pull, and crisp break of 3.5lbs. The 16.5" free-floating 4150 steel barrel is complimented by POF's 10.5" Modular Receiver Rail (M.R.R.), with M-Lok slots at the 3, 6, 9, and a 2" picatinny rail at the 6 & 12 position. The integrated XS Ghost Ring sights allow for quick target acquisition and POF's removable dual port muzzle brake is ideal for fast follow-up shots.



CRISP 3.5 LB TRIGGER



20RD STANDARD  
MAGAZINE



OVERSIZED SHORT  
THROW LEVER



LEARN MORE



## HIGHLIGHTS

1. MAGPUL SGA STOCK
2. OVERSIZED SHORT THROW LEVER
3. HAMMER HALF COCK AND TRIGGER SAFETY
4. 3.5 LB SINGLE STAGE TRIGGER
5. TOP PICATINNY RAIL SEGMENTS
6. 10/20RD MAGAZINES
7. 10.5" MLOK MODULAR RECEIVER RAIL
8. XS GHOST RING SIGHTS
9. LOWER PICATINNY RAIL
10. FREE FLOAT FLUTED BARREL
11. 1/2X28 THREADED MUZZLE WITH DOUBLE PORT BRAKE



COLOR	DESCRIPTION	PART #
BLK	9mm Rifle	01921
FDE	9mm Rifle	01927
BLK	9mm SBR	01850
FDE	9mm SBR	01928

## CONFIGURATIONS



### FDE RIFLE

9mm | 16.5 in Barrel | 36 IN OAL



### NEW SBR | BLACK OR FDE

9mm | 12.5 in Barrel | 31.75 IN OAL

## STANDARD FEATURES

Free Float Fluted Barrel

XS Ghost Ring Sight

(1) 20rd Magazine

Two-Port Muzzle Brake

Hammer Half Cock Position

## SPECS

OAL	36 in
Weight	5.75 lbs
Rifling	1:10
Barrel	16.5 in
Trigger	3.5 lb Single Stage
Furniture	Magpul® SGA® Stock
Sights	XS Ghost Ring
Receiver Finish	Cerakote
Handguard	Monolithic Upper Receiver With MLOK
Muzzle	2 Port / Threaded 1/2x28





ACTION

## DIRECT BLOWBACK

MODEL

## 16.5" RIFLE **NEW**

WEIGHT  
**5.3 LBS**

CALIBER  
**9MM**

LENGTH  
**34 IN**

### THE ALL-AMERICAN SUBGUN

Born from the ashes and designed from the ground up. The all new PHOENIX subgun is the perfect plinking platform yet built for serious duty. It's an ideal host for your suppressed shooting and features a 1913 picatinny rail at the rear, making future conversions or adding a brace a breeze. The direct blowback system has proven to be extremely reliable around the world. The PHOENIX will ship with a proprietary 35 round magazine, magazine loader, two port muzzle brake, single point adjustable sling and hand stop.



AMBI FOLDING  
CHARGING HANDLE



REAR 1913 RAIL +  
QD CUP



AMBIDEXTROUS LOWER  
RECEIVER



LEARN MORE



## HIGHLIGHTS

1. 1913 PICATINNY RAIL
2. MISSION FIRST TACTICAL GRIP
3. DIRECT BLOWBACK ACTION
4. 35RD MAGAZINE (INCLUDED)
5. MLOK MONOLITHIC RAIL
6. AMBI FOLDING CHARGING HANDLE
7. HAND STOP (INCLUDED)
8. 1/2X28 THREADED MUZZLE WITH DOUBLE PORT BRAKE



COLOR	DESCRIPTION	PART #
BLK	9mm Rifle-16	01921
FDE	9mm Rifle-16	01927
BLK	9mm SBR	01850
FDE	9mm SBR	01928
BLK	9mm Pistol	01838
FDE	9mm Pistol	01926

## CONFIGURATIONS



**PISTOL**  
9mm | 8 in Barrel | 17.5 in OAL



**SBR**  
9mm | 8 in Barrel | 26 in OAL



## STANDARD FEATURES

Match Grade 4150 Steel Barrel

Midlength Gas System

Blowback Action

Monolithic Upper Receiver

(1) 35rd Magazine

Trigger Mil-Spec AR

Furniture MFT

Receiver Finish Cerakote

Handguard Monolithic Upper Receiver With MLOK

Muzzle 2 Port / Threaded 1/2x28

## SPECS - 8.5 IN PISTOL

OAL 17.5 in

Weight 4.6 lbs

Barrel 8.5 in 1:10 Twist

## SPECS - 16.5 IN RIFLE

OAL 34 in

Weight 5.3 lbs

Barrel 16.5 in 1:10 Twist



# REVOLUTION

PISTON **PD** DRIVEN

ACTION

**GAS PISTON**



MOA  
GUARANTEE

MODEL

**16.5" RIFLE**

WEIGHT  
**7.3 LBS**

CALIBER  
**.308 WIN | 6.5 CM**


LENGTH  
**34 IN**

## THE AMERICAN REVOLUTION


The REVOLUTION uses a 5.56 bolt carrier and other 5.56 parts allowing for a shorter overall receiver size and reduced weight. This also isn't a normal small frame .308, it's smaller! It features many 5.56 parts; such as charging handle, bolt carrier, cam pin, buffer, heat sink barrel nut, handguard, and 5-position gas piston operating system. The barrel extension, bolt assembly, upper, and lower receiver are the exact same size as those on an AR15. Weighing in at 7.3 lbs. The Revolution features our new Edge Handguard with four built-in QD mounts, and is packed with all you've come to expect from POF-USA. Fully ambidextrous billet receiver set, nickel plated bolt carrier, 5-position adjustable gas piston, single stage match grade trigger, and more.



GEN 4 AMBI LOWER  
RECEIVER



RENEGADE RAIL + HEAT  
SINK BARREL NUT



ANTI-TILT  
BUFFER TUBE



LEARN MORE



## HIGHLIGHTS

1. ANTI-TILT EXTENSION TUBE
2. GEN4 AMBI LOWER RECEIVER
3. AMBI TOMAHAWK CHARGING HANDLE
4. MATCH GRADE DROP IN TRIGGER
5. STRONG HAND BOLT HOLD OPEN
6. 5.56 BOLT CARRIER GROUP
7. MODULAR RAILED RECEIVER & HEAT SINK BARREL NUT
8. RIFLE LENGTH 5 POSITION ADJUSTABLE GAS BLOCK
9. NITRIDE HEAT TREATED BARREL
10. 3 PORT MUZZLE BRAKE



COLOR	DESCRIPTION	PART #
BLK	16.5 - .308	01235
BRZ	16.5 - .308	01467
TNG	16.5 - .308	01930
BLK	18.5 - .308	01804
BRZ	18.5 - .308	01805
TNG	18.5 - .308	01931
BLK	20 - 6.5 CM	01564
BRZ	20 - 6.5 CM	01565
BLK	14.5 - .308	01389

## CONFIGURATIONS



**20" BARREL - 6.5 CM**  
.308 WIN | 20 in Barrel | 41 in OAL



**SBR - 308 WIN**  
.308 WIN | 12.5 in Barrel | 27 in OAL

**REVOLUTION**  
PISTON **PD** DRIVEN

## STANDARD FEATURES

Match Grade 4150 Steel Barrel  
Rifle Length Gas System  
Piston Driven Action  
E2 Extraction Technology  
(1) 20rd Magazine

## SPECS

OAL (Collapsed) 34 in  
Weight 7.3 lbs  
Rifling 1:10  
Barrel 16.5 in  
Trigger Single Stage 4.5lb  
Furniture MFT  
Receiver Finish Cerakote  
Handguard 14.5" M.R.R.  
Muzzle 3 Port Brake

## PATENTED TECHNOLOGY



E2 Chamber



Heat Sink  
Barrel Nut



Roller  
Cam Pin

VISIT [POF-USA.COM](http://POF-USA.COM) FOR COMPLETE SPECS



# REVOLUTION

DIRECT **DI** IMPINGEMENT

ACTION

**DIRECT IMPINGEMENT**

MODEL

**16.5" RIFLE**



MOA  
GUARANTEE

WEIGHT  
**6.8 LBS**

CALIBER  
**.308 WIN | 6.5 CM | 6MM CM**


LENGTH  
**34 IN**

## THE AMERICAN REVOLUTION

We broke barriers and won awards when we released the piston driven .308 Revolution. By popular demand, The Revolution DI provides the same technology, same durability, same features, and same AR-15 size, but in a smaller direct impingement system featuring our 9-position adjustable Dictator gas block and Renegade rail. There is virtually nothing left to upgrade. The original Revolution weighed in at a paltry 7.35 pounds, turning heads for its incredible light weight and small stature for a .308. The Revolution DI weighs even less at 6.8 pounds with a 16" barrel, making it ideal for just about any situation you put it in.



GEN 4 AMBI LOWER  
RECEIVER



RENEGADE RAIL + HEAT  
SINK BARREL NUT



ANTI-TILT  
BUFFER TUBE




LEARN MORE



## HIGHLIGHTS

1. ANTI-TILT EXTENSION TUBE
2. GEN4 AMBI LOWER RECEIVER
3. AMBI TOMAHAWK CHARGING HANDLE
4. MATCH GRADE DROP IN TRIGGER
5. STRONG HAND BOLT HOLD OPEN
6. 5.56 BOLT CARRIER GROUP
7. RENEGADE RAIL & HEAT SINK BARREL NUT
8. RIFLE LENGTH 9 POSITION DICTATOR ADJUSTABLE GAS BLOCK
9. NITRIDE HEAT TREATED BARREL
10. 3 PORT MUZZLE BRAKE



COLOR	DESCRIPTION	PART #
BLK	16.5 - .308	01581
BRZ	16.5 - .308	01582
TNG	16.5 - .308	01932
BLK	18.5 - .308	01806
BRZ	18.5 - .308	01807
TNG	18.5 - .308	01933
BLK	12.5 - .308	01811
BRZ	12.5 - .308	01812

## CONFIGURATIONS



**20" BARREL - 6.5 CM**  
6.5 CM | 20 in Barrel | 41 in OAL



**22" BARREL - 6MM CM**  
6MM CM | 22 in Barrel | 43 in OAL

**REVOLUTION**  
DIRECT IMPIGEMENT

## STANDARD FEATURES

Match Grade 4150 Steel Barrel  
Rifle Length Gas System  
Direct Impingement Action  
E2 Extraction Technology  
(1) 20rd Magazine

## SPECS

OAL (Collapsed)	34 in
Weight	6.8 lbs
Rifling	1:10
Barrel	16.5 in
Trigger	Single Stage 4.5lb
Furniture	MFT
Receiver Finish	Cerakote
Handguard	14.5" Renegade Rail
Muzzle	3 Port Brake

## PATENTED TECHNOLOGY



E2 Chamber



Heat Sink  
Barrel Nut



Roller  
Cam Pin

VISIT [POF-USA.COM](http://POF-USA.COM) FOR COMPLETE SPECS



# ROGUE

ACTION

**DIRECT IMPINGEMENT**

MODEL

**16.5" RIFLE**



MOA  
GUARANTEE

WEIGHT  
**5.9 LBS**

CALIBER  
**.308 WIN**


LENGTH  
**34 IN**

## ITS ABOUT THE WEIGHT AND THE SAVINGS


Project "Rogue" was an exercise to turn the Revolution platform into the lightest .308 semi auto rifle on the market, and to do it without needless "lightening" cuts. All while delivering a rifle at a price point affordable to serious shooters. The result is a sub 6 pound .308 rifle packed with proprietary and patented innovations. Thanks to its ridiculously light weight, never before has a semi auto .308 been a more realistic option to carry in the field, no matter how far the journey. The Rogue features a stylized forged receiver set, stainless steel match grade barrel, Revolution DI BCG, ambidextrous selector, multiple QD sling attachment points, and Renegade rail & oversized heatsink barrel nut, all topped off with our Micro B muzzle brake.



LIGHTWEIGHT ROGUE  
RECEIVER



RENEGADE RAIL + HEAT  
SINK BARREL NUT



ANTI-TILT  
BUFFER TUBE




LEARN MORE



## HIGHLIGHTS

1. ANTI-TILT EXTENSION TUBE
2. MFT GRIP
3. STRIKE EAGLE CHARGING HANDLE
4. 4.5LB SINGLE STAGE TRIGGER
5. FLARED MAGAZINE WELL
6. 5.56 BOLT CARRIER GROUP
7. RENEGADE RAIL & HEAT SINK BARREL NUT
8. MIDLENGTH GAS SYSTEM
9. 16.5IN MATCH GRADE STAINLESS STEEL BARREL
10. MICRO-B MUZZLE BRAKE



COLOR	DESCRIPTION	PART #
BLK	16.5 - .308	01662
PB	16.5 - .308	01740
OD	16.5 - .308	01941
BLK	13.75 - .308	02063
PB	13.75 - .308	02064
OD	13.75 - .308	02065

## CONFIGURATIONS



**NEW** 13.75" - .308 WIN  
.308 WIN | 13.75 in Barrel | 34 IN OAL



**NEW** .308 WIN - OLIVE DRAB  
.308 WIN | 16.5 in Barrel | 34 IN OAL

# ROGUE

## STANDARD FEATURES

Match Grade Stainless Steel Barrel

Mid-length Gas System

Direct Impingement Action

E2 Extraction Technology

(1) 20rd Magazine

## SPECS

OAL (Collapsed)	34 in
Weight	5.9 lbs
Rifling	1:8
Barrel	16.5 in
Trigger	Single Stage 4.5lb
Furniture	MFT
Receiver & Finish	Black Anodized or Color Cerakote
Handguard	11" Renegade Rail
Muzzle	Micro-B

## PATENTED TECHNOLOGY



E2 Chamber



Heat Sink Barrel Nut



Roller Cam Pin

VISIT [POF-USA.COM](http://POF-USA.COM) FOR COMPLETE SPECS



# PRESCOTT

ACTION

**DIRECT IMPINGEMENT**

MODEL

**20" RIFLE**



MOA  
GUARANTEE

WEIGHT  
**7 LBS**

CALIBER  
**6MM CM | 6.5 CM**


LENGTH  
**41 IN**

## ITS ABOUT THE WEIGHT AND THE SAVINGS

THE ALL NEW PRESCOTT Project "Rogue" was an exercise to turn the Revolution platform into the lightest semi auto rifle on the market, and to do it without needless "lightening" cuts. Built on the Rogue platform, the Prescott makes hunting with a semi-auto reality. At 7 pounds, the Prescott is built for the great outdoors. The Prescott is available in both 6.5 Creedmoor and 6MM Creedmoor.



LIGHTWEIGHT ROGUE  
RECEIVER



RENEGADE RAIL + HEAT  
SINK BARREL NUT



ANTI-TILT  
BUFFER TUBE



LEARN MORE



## HIGHLIGHTS

1. ANTI-TILT EXTENSION TUBE
2. LUTH-AR ADJUSTABLE STOCK
3. AMBI CHARGING HANDLE
4. TWO STAGE MATCH TRIGGER
5. FLARED MAGAZINE WELL
6. 5.56 BOLT CARRIER GROUP
7. RENEGADE RAIL & HEAT SINK BARREL NUT
8. LOW PROFILE GAS BLOCK OR DICTATOR GAS BLOCK (6MM & CARBON BARREL OPTIONS)
9. FLUTED NITRIDE HEAT TREATED BARREL
10. MICRO-B MUZZLE BRAKE



COLOR	DESCRIPTION	PART #
BLK	20 - 6.5 CM	01734
PB	20 - 6.5 CM	01737
BLK	20 CF - 6.5 CM	01929
BLK	22 - 6MM CM	01839
PB	22 - 6MM CM	01840

## CONFIGURATIONS



**6MM CM - PATRIOT BROWN**  
6mm CM | 22 in Barrel | 43 IN OAL



**NEW 6.5 CM - CARBON BARREL**  
6.5 CM | 20 in Barrel | 41 IN OAL

# PRESCOTT

## STANDARD FEATURES

Match Grade 4150 Steel Barrel  
Rifle Length Gas System  
Direct Impingement Action  
E2 Extraction Technology  
(1) 20rd Magazine

## SPECS

OAL (Collapsed)	41 in
Weight	7 lbs
Rifling	1:8 / 1:7.5 (6MM)
Barrel	20 in
Trigger	Two Stage 3.5lb
Furniture	MFT Grip + Luth-AR Stock
Receiver Finish	Cerakote
Handguard	14.5" Renegade Rail
Muzzle	Micro-B

## PATENTED TECHNOLOGY



E2 Chamber



Heat Sink  
Barrel Nut



Roller  
Cam Pin

VISIT [POF-USA.COM](http://POF-USA.COM) FOR COMPLETE SPECS



# RENEGADE+

ACTION

## DIRECT IMPINGEMENT

MODEL

## 16.5" RIFLE



MOA  
GUARANTEE

WEIGHT  
**6.3 LBS**

CALIBER  
**5.56 NATO | 6MM ARC**

LENGTH  
**34 IN**

### EXCEED ALL EXPECTATIONS


When we decided to make a direct impingement rifle, it couldn't be another "me-too" carbine. The Renegade + is built off of our Gen 4 billet lower receiver. This receiver is completely ambidextrous and includes our flat 3.5 lb match grade trigger with KNS Precision anti-walk pins. The Renegade + comes with our M-LOK compatible Renegade rail, covering the 16.5" nitride heat treated barrel.



GEN 4 AMBI LOWER  
RECEIVER



MATCH GRADE TRIGGER



ANTI-TILT  
BUFFER TUBE



LEARN MORE



## HIGHLIGHTS

1. MFT FURNITURE
2. AMBI QD ENDPLATE
3. AMBI TOMAHAWK CHARGING HANDLE
4. 3.5LB STRAIGHT DROP IN TRIGGER
5. GEN4 FULLY AMBI LOWER RECEIVER
6. KEYLOCK BCG
7. RENEGADE HANDGUARD & HEAT SINK BARREL NUT
8. DICTATOR ADJUSTABLE GAS BLOCK
9. NITRIDE HEAT TREATED 4150 CHROME VANADIUM BARREL
10. TRIPLE PORT BRAKE



### 13.75 SERIES

COLOR	DESCRIPTION	PART #
BLK	13.75 - 5.56	02039
BRZ	13.75 - 5.56	02040
TNG	13.75 - 5.56	02041
OD	13.75 - 5.56	02042

### SBR / PISTOLS

COLOR	DESCRIPTION	PART #
BLK	Pistol 10.5 - 5.56	01798
BRZ	Pistol 10.5 - 5.56	01793
BLK	Pistol 10.5 - 300 BLK	01796
BRZ	Pistol 10.5 - 300 BLK	01797
BLK	SBR 10.5 - 5.56	00968
BRZ	SBR 10.5 - 5.56	01031
BLK	SBR 10.5 - 300 BLK	01440
BRZ	SBR 10.5 - 300 BLK	01441

### RIFLES

COLOR	DESCRIPTION	PART #
BLK	16.5 - 5.56	00856
BRZ	16.5 - 5.56	00910
TNG	16.5 - 5.56	00983
OD	16.5 - 5.56	01283
BLK	16.5 - 6MM	01896
BRZ	16.5 - 6MM	01896

## CONFIGURATIONS



**NEW** 13.75 IN BARREL - OD GREEN  
5.56 NATO | 13.75 in Barrel | 37 IN OAL



SBR - 5.56 NATO OR 300 BLK | PISTOL ALSO AVAILABLE  
5.56 NATO / 300 BLK | 10.5 in Barrel | 28 IN OAL

## RENEGADE+

### STANDARD FEATURES

Nitride Treated 4150 Chrome Vanadium Barrel  
Rifle Length Gas System  
Dictator Adjustable Gas Block  
Tomahawk Charging Handle  
3.5lb Flat Profile Trigger

### SPECS

OAL (Collapsed)	34 in
Weight	6.3 lbs
Rifling	1:8
Barrel	16.5 in
Trigger	3.5lb Match Grade
Furniture	Mission First Tactical
Receiver Finish	Cerakote
Handguard	14.5" MLOK
Muzzle	Triple Port Brake

### PATENTED TECHNOLOGY



E<sup>2</sup> Chamber



Heat Sink Barrel Nut



Roller Cam Pin

VISIT [POF-USA.COM](http://POF-USA.COM) FOR COMPLETE SPECS



# P415 EDGE

ACTION

**GAS PISTON**

MODEL

**16.5" RIFLE**



MOA  
GUARANTEE

WEIGHT  
**7 LBS**

CALIBER  
**5.56 NATO | 300 BLK**


LENGTH  
**34 IN**

## UNSTOPPABLE IN UNFAVORABLE CONDITIONS


The P415 Edge is a product of continuous development and improvement to the AR platform. E2 Extraction Technology, ambidextrous controls, modular free floating rail platform, and numerous internal improvements. To minimize weigh, the new P415 Edge Rifle features a redesigned handguard, reducing size by nearly 20%. These improvements drop the weight down to 7 lbs.



GEN 4 AMBI LOWER  
RECEIVER



EDGE RAIL + HEAT  
SINK BARREL NUT



ANTI-TILT  
BUFFER TUBE



LEARN MORE



## HIGHLIGHTS

1. ANTI-TILT BUFFER TUBE
2. GEN4 AMBI LOWER RECEIVER
3. AMBI TOMAHAWK CHARGING HANDLE
4. 4.5LB DROP IN TRIGGER
5. STRONG HAND BOLT HOLD OPEN
6. ONE-PIECE BCG
7. EDGE RAIL & HEAT SINK BARREL NUT
8. ADJUSTABLE GAS SYSTEM
9. NITRIDE HEAT TREATED 4150 CHROME VANADIUM BARREL
10. TRIPLE PORT BRAKE



COLOR	DESCRIPTION	PART #
BLK	16.5 - 5.56	01143
BRZ	16.5 - 5.56	01145
TNG	16.5 - 5.56	01146
OD	16.5 - 5.56	01944
BLK	10.5 - .300	01799
BRZ	10.5 - .300	01800
BLK	10.5 - 5.56	01794
BRZ	10.5 - 5.56	01795

## CONFIGURATIONS



**NEW** 16.5 IN BARREL - OD GREEN  
5.56 NATO | 16.5 in Barrel | 37 IN OAL



SBR - 5.56 NATO OR 300 BLK | **PISTOL ALSO AVAILABLE**  
5.56 NATO / 300 BLK | 10.5 in Barrel | 28 IN OAL

# P415 EDGE

## STANDARD FEATURES

Nitride Treated 4150 Chrome Vanadium Barrel

Piston Driven Action

GEN4 Lower Receiver

Black Anodized or Burnt Bronze Cerakote Finish

## SPECS

OAL (Collapsed)	34 in
Weight	7 lbs
Rifling	1:8
Barrel	16.5 in
Trigger	3.5lb Match Grade
Furniture	Mission First Tactical
Receiver Finish	Black Anodized or Colored Cerakote
Handguard	14.5" Edge Rail
Muzzle	Triple Port Brake

## PATENTED TECHNOLOGY



E<sup>2</sup> Chamber



Heat Sink Barrel Nut



Roller Cam Pin

VISIT [POF-USA.COM](http://POF-USA.COM) FOR COMPLETE SPECS

21





ACTION

**DIRECT IMPINGEMENT**

MODEL

**16.5" RIFLE**



MOA  
GUARANTEE

WEIGHT

**6.2 LBS**

CALIBER

**5.56 NATO | 350 LEGEND**


LENGTH

**34 IN**

### READY AT A MOMENTS NOTICE

Minutemen were civilian colonists tasked with being a defensive force to be prepared at a moments notice. They took it upon themselves to be trained in various weapons and tactics. We deeply admire their patriotism and self-reliance. The "Minuteman" is our twist on what a direct impingement sporting carbine should be, topped with the controls and enhancements most important to remain mobile and light.

The Minuteman has everything a respectable rifle needs and nothing it doesn't. Mount your favorite optic and the Minuteman is ready for the range or the field right out of the box. Go ahead and stack these features up to your favorite "other brand" carbine. We think you'll be impressed.




PATENTED ROLLER  
CAM PIN



MATCH GRADE TRIGGER



ANTI-TILT  
BUFFER TUBE



LEARN MORE



## HIGHLIGHTS

1. MFT FURNITURE
2. ANTI-TILT BUFFER TUBE
3. AMBI STRIKE EAGLE CHARGING HANDLE
4. 3.5LB DROP IN TRIGGER
5. FLARED MAGAZINE WELL
6. MIL-SPEC ENHANCED BCG
7. RENEGADE HANDGUARD & HEAT SINK BARREL NUT
8. MID-LENGTH GAS SYSTEM
9. NITRIDE HEAT TREATED 4150 CHROME VANADIUM BARREL
10. 3 PRONG FLASH HIDER



COLOR	DESCRIPTION	PART #
BLK	16.5 - 5.56	01644
TNG	16.5 - 5.56	01645
PB	16.5 - 5.56	01752
BLK	16.5 - .350	01646
TNG	16.5 - .350	01647
BLK	10.5 - 5.56	01658
TNG	10.5 - 5.56	01659
BLK	10.5 - .350	01660
TNG	10.5 - .350	01661

## CONFIGURATIONS



**.350 LEGEND - TUNGSTEN**  
 .350 Legend | 16.5 in Barrel | 37 IN OAL



**SBR - 5.56 NATO OR .350 LEGEND**  
 .350 / 5.56 | 10.5 in Barrel | 28 IN OAL

# M1NUTEMAN

## STANDARD FEATURES

Nitride Treated 4150 Chrome Vanadium Barrel

Mid-Length Gas System

Strike Eagle Charging Handle

Anodized or Cerakote Finish

3.5lb Flat Profile Trigger

## SPECS

OAL (Collapsed)	34 in
Weight	6.2 lbs
Rifling	1:8
Barrel	16.5 in
Trigger	3.5 lb Match Grade
Furniture	Mission First Tactical
Receiver Finish	Anodized
Handguard	14.5" MLOK
Muzzle	3-Prong Flash Hider

## PATENTED TECHNOLOGY



E<sup>2</sup> Chamber



Heat Sink Barrel Nut



Roller Cam Pin

VISIT [POF-USA.COM](http://POF-USA.COM) FOR COMPLETE SPECS

23



# PSG<sup>.22</sup>

ACTION

**DIRECT BLOWBACK**

MODEL

**8" PISTOL**

WEIGHT  
**3.3 LBS**

CALIBER  
**.22 LR**

LENGTH  
**22 IN**

## ABOUT PSG-22

Our love of shooting, training, and prepping future shooters were the driving factors of development. We had to bring a quality to this platform which hasn't been seen before. Aside from its light weight of just over 3lbs, the PSG 22 is equipped with a rear Q.D. mount for single point slings, Enhanced Pressure Device, and threaded barrel ready for your suppressor. The receiver accepts AR-15 pattern stock and brace options, and the trigger and selector are also compatible with AR-15 options. The PSG 22 features a monolithic upper receiver and injection molded lower receiver. To top it off, it accepts the widely available 10/22<sup>®</sup> magazine.



MONOLITHIC UPPER  
RECEIVER



10/22 MAGAZINE  
COMPATIBLE



ENHANCED PRESSURE  
DEVICE



**LEARN MORE**



# WONDER



MOA  
GUARANTEE

ACTION

## DIRECT IMPINGEMENT

MODEL

## 16.5" RIFLE

WEIGHT  
**6.2 LBS**

CALIBER  
**5.56 NATO**

LENGTH  
**32 IN**

## ABOUT WONDER

The Wonder provides a beautiful balance between utility and luxury. It features our ambidextrous rear sling mount, Renegade Rail with patented heat sink barrel nut, DI bolt carrier group with Roller Cam Pin, single stage straight match grade trigger, our new Strike Eagle Ambi Charging Handle, and our new Micro B single port muzzle brake.



SBR & PISTOL VARIANTS AVAILABLE

BLUE TITANIUM



LEARN MORE



E<sup>2</sup> Chamber



Heat Sink  
Barrel Nut



Roller  
Cam Pin

VISIT [POF-USA.COM](http://POF-USA.COM) FOR COMPLETE SPECS





ACCESSORY PARTS

## MIL-SPEC UPGRADES


### QUIT SETTling FOR "GOOD ENOUGH"

When it's time to enhance your AR, look no further than POF-USA. Our proprietary parts are available on their own, empowering you to upgrade to some of the best accessories on the market. See more at [POF-USA.com](http://POF-USA.com)



LEARN MORE

### AMBI CHARGING HANDLES



Billet machined to exacting standards. Full ambi, and finished with type-III hardcoat anodizing.



### ANTI-TILT BUFFER TUBE



Eliminate stock rotation and prevent carrier tilt by supporting the back of the carrier, as well as reducing wear and tear on the bolt carrier and the buffer tube.

### OVERSIZED BOLT CATCH





### KEYLOCK BOLT CARRIER GROUP



Ultimate Durability. Keylocked, staked, and bolted in. This carrier provides superior gas key stability.

### DICTATOR ADJUSTABLE GAS BLOCK

Our 9-position adjustable gas block features a straight tube to reduce heat build up.




### MUZZLE BRAKES, FLASH HIDERS, AND LOCK NUTS



### ROLLER CAM PIN UPGRADE

Never worry about cam slot wear again. Cam Pin upgrade kit features a rounded pin for reduced drag.



### SINGLE STAGE & TWO-STAGE MATCH TRIGGERS



41lb Single Stage EFP POF Drop-in trigger with KNS anti-walk pins.



4.5lb Two-Stage Curved POF Drop-in trigger with KNS anti-walk pins.



3.5lb Straight POF Drop-in trigger with KNS anti-walk pins.

### M-LOK HANDSTOP KIT



Specifically designed for use on M-LOK compatible rail systems. Includes mounting hardware.





TRUE.  
AMERICAN.  
ORIGINAL.

## OUR NORTH STAR

---

We are all born free. Free to be our best.

That's America's truth. What's yours?

We each bring something different to the table.  
Some, are dreamers. Others, doers. We are both.

We are inventors. Engineers. Always have been.  
Always will be.

We know nothing compares to a hard day's work.  
To getting up before the sun and getting it done.

Take our sleeves, and roll 'em up.

Red, white and blue. Blood, sweat and tears.

It's who we are. It's what we do. Every day.

Show up. Buckle down. Give a damn.

Because we're not making the next best thing.  
We're making THE best thing. Like they used to.

Only better. Building the first of many firsts.  
Making what has yet to be imagined. That's our  
truth. What's yours?

