



# TRUE. AMERICAN. ORIGINAL.

### OUR NORTH STAR

We are all born free. Free to be our best.

That's America's truth. What's yours?

We each bring something different to the table. Some, are dreamers. Others, doers. We are both.

We are inventors. Engineers. Always have been.

Always will be.

We know nothing compares to a hard day's work.

To getting up before the sun and getting it done.

Take our sleeves, and roll 'em up.

/Red; white and blue. Blood, sweat and tears.

It's who we are. It's what we do. Every day.

Show up. Buckle down. Give a damn.

Because we're not making the next best thing. We're making THE best thing. Like they used to.

Only better. Building the first of many firsts.

Making what has yet to be imagined. That's our
truth. What's yours?



# FELLOW PATRIOTS,

As we reflect on our journey over the past 23 years, we are filled with gratitude for your unwavering support. When we first opened our doors, we faced a crucial decision that would shape the essence of our business - whether to work with American manufacturers or source our products overseas.

In a landscape where international sourcing seemed more convenient and cost-effective, we made a conscious choice to support American workers and businesses. Despite the allure of higher profits and lower costs, we understood that the true cost of neglecting our American workforce was far greater than any financial gain.

For us, supporting American-made businesses wasn't just a business decision; it was a moral imperative. We firmly believe that American makers matter. We recognize the immense value they bring to our economy and communities, and we are committed to doing our part in sustaining and fostering their growth.

Running a small business comes with its challenges, both in terms of strategy and cost. Yet, we remain steadfast in our commitment to prioritizing American-made products. We take pride in choosing quality over everything, even if it means sacrificing higher profit margins. Every product we offer is a testament to our dedication to supporting American craftsmanship and ingenuity.

We are heartened to see a shift in consumer consciousness towards supporting small businesses and the individuals who rely on them. Together, we are witnessing the resurgence of American manufacturing, with new jobs being created and manufacturing plants opening across the country. This revitalization is a testament to the power of consumer choice and the impact it can have on our economy.


We are proud to declare that all our products are proudly made in America. Whether it's in our own factory or sourced from American manufacturers and suppliers, we remain committed to upholding the highest standards of quality and craftsmanship.

As we continue on this journey, we extend our deepest gratitude to you, our valued customers, for your continued support. Your choice to support American-made businesses makes a tangible difference in the lives of countless individuals and communities across our nation.

Thank you for choosing to be a part of our story and for joining us in our mission to champion American craftsmanship.

Drag Milonma

Tracy Desomma President POF-USA





FOUNDED ON INNOVATION

# PROPRIETARY ENHANCEMENTS

POF-USA has positioned itself through superior engineering and design in making the AR platform the absolute best it can be. Each rifle is built with technology that is 100% unique to POF-USA rifles. These enhancements are explained in detail on our website (scan to read). These are enhancements that no other manufacturer can claim, as most of them prefer their comfort zone of fitting standard parts together instead of delivering reliable innovation to those that need it most - our Patriots.



LEARN MORE



### ANTI-TILT BUFFER TUBE

Our mil-spec aluminum anti-tilt buffer tube features "carrier cradle" extensions to ensure that the carrier is always supported by the buffer tube even when the bolt carrier is fully forward. This prevents carrier tilt and premature wear of the buffer tube. The buffer detent now doubles as a lock that inhibits the buffer tube from rotating and becoming loose under adverse conditions. The anti-tilt buffer tube also features three drain holes.




### KEYLOCK BOLT CARRIER GROUP

ROLLER CAM PIN

Our Keylock Bolt Carrier Group is a Nitride heat treated carrier with stainless-steel gas key. It is secured with a staked screw and dove tailed into the carrier for an extremely rigid design that helps reduce carrier tilt.

Standard AR cam pins feature a square steel head that literally grinds and carves away at the inside of the receiver. POF-USA's nickel coated roller head actually rolls inside the channel of the upper thus eliminating friction and prolonging the life of the upper.





### GEN 4 LOWER RECEIVER

The Gen 4 lower is the best of the best, no matter your shooting side or style. POF-USA redesigned the lower receiver from the ground up, not only improving the ergonomics and fitment, but also making it fully ambidextrous. Featuring a strong hand bolt hold open and release, receiver tension screws, integrated QD cups, a flared magwell, and oversized trigger guard, the Gen4 Lower Receiver is the ultimate building platform.

### E<sup>2</sup> DUAL-EXTRACTION TECHNOLOGY

POF-USA's patented E2 dual-extraction technology consists of four small channels cut into the walls of the chamber allowing a small amount of gas pressure to push against the neck of the spent case. This pressure assists in extraction by breaking the seal between the chamber and case as well as pushing the spent case to the rear as the extractor is pulling to the rear. This removes a tremendous amount of work that would otherwise be left up to the extractor.

### OVERSIZED HEAT SINK BARREL NUT

The patented oversized heat sink barrel nut is one of the most significant innovations. At three inches long it completely encompasses the chamber and throat area of the barrel where expanding gas temperatures peak. Take into account the radiation properties of aluminum compared to traditional steel and you have 17 times more heat dissipation than a standard AR. Our barrel nut's 3" length also gives the operating rod substantial guiding surface assuring constant positive contact with the bolt carrier.

### MODULAR RAILED RECEIVER [M.R.R.]

The patented Modular Railed Receiver (M.R.R) is POF-USA's crown iewel for precision and extreme rigidity. This is a two-piece upper assembly with a free-floating monolithic handquard that slides on and interfaces directly to the upper assembly thanks to our upper's reinforced backbone. This backbone is five-times thicker than standard flattop platforms. The suspended handquard keeps your grip and accessories from weighing on the barrel, providing for the most secure free-floated barrel on the market, and has more than 6 points of attachment securing the rail from experiencing any movement under stress.





### **DIRECT IMPINGEMENT**

MODEL

16" RIFLE NEW



MOA GUARANTEE

TEE

E<sup>2</sup> Chamber

Roller

WEIGHT 6 LBS

CALIBER **5.56 NATO** 

LENGTH
36 IN

PROPRIETARY ENHANCEMENTS

### **OUT OF THE BOX PERFORMACE**

The P-15 BASE Rifle is our feature packed carbine at a price point to please. This 100% American made rifle features POF-USA Mil-spec P-15 receiver set and our E2 16.5" match-grade barrel. The BCG features our Patented Roller Cam Pin to ensure smooth operation. The Mil-spec Anti-tilt 6-Position Buffer Tube comes with a MFT Adjustable Stock. The BASE rifle gives you a light weight, reliable firearm, that can be upgraded at any time.





EXTRACTION UNDER ANY CONDITIONS



TRUE TO OUR CORE



ANTI-TILT BUFFER TUBE



# 





### **DIRECT IMPINGEMENT**





**PROPRIETARY ENHANCEMENTS** 



MOA GUARANTEE

NEW 16" RIFLE

WEIGHT 6 LBS

CALIBER .308 WIN LENGTH 36 IN

### **BUILD YOUR BASE**

The LMR BASE Rifle by POF-USA offers the powerful .308 platform in a more budget-friendly package. It retains the precision, reliability, and patented technology of POF 308 rifles, with updates like a 15" MLOK rail, A2 pistol grip, and MIL-Spec trigger to enhance affordability without sacrificing performance.





EXTRACTION UNDER ANY CONDITIONS



416R STAINLESS STEEL BARREL



ANTI-TILT BUFFER TUBE



### **DIRECT IMPINGEMENT**

MODE

13.75" RIFLE NEW

WEIGHT

CALIBER

6.3 LBS 5.56 NATO | .300 BLK | .308 WIN

### NON-NFA 13.75 IN BARREL

The 13.75" Series is a full feature rifle line that is optimized for maneuverability. The 13.75" barrel maintains ballistic efficiency while improving rifle handling in close quarters. All topped off with a pinned and welded KeyMo muzzle brake for your favorite suppressor.

The 13.75 inch barrel with pinned and welded Dead Air KeyMo Brake produces the shortest possible non-NFA rifle configuration, all while shifting the balance point of the rifle closer to the shooter.



13.75" BARREL+ KEYMO MUZZLE BREAK



FULL FEATURE POF RECEIVER SET

# ROGUE













# NON-NFA 13.75 IN BARREL



LEARN MORE

- 1. MFT FURNITURE
- 2. OD ENDPLATE
- 3. STRIKE EAGLE CHARGING HANDLE [TOMAHAWK ON THE P415]
- 4. DROP IN TRIGGER WITH KNS
  ANTI-WALK PINS

- S. GENY FULLY AMBI LOWER RECEIVER (RENEGADE+ AND PYIS ONLY)
- 6. RENEGADE HANDGUARD S HEAT SINK BARREL NUT [EDGE RAIL ON P415]
- 7. ADJUSTABLE GAS BLOCK (ROGUE, RENEGADE+, REVOLUTION, & P415)
- 8. NITRIDE HEAT TREATED 4150 CHROME VANADIUM BARREL
- 9. DEAD AIR KEYMO MUZZLE BRAKE





### LEVER ACTION

MODE

16.5" RIFLE

WEIGHT 5.75 LBS CALIBER **9MM** 

LENGTH **36 IN** 

### MODERNIZED LEVER ACTION RIFLE

The Tombstone's compact overall length is just 36" and comes in at an ultra-lightweight 5.75lbs (unloaded weight). The proprietary trigger design features a smooth pull, and crisp break of 3.5lbs. The 16.5" free-floating 4150 steel barrel is complimented by POF's 10.5" Modular Receiver Rail (M.R.R.), with M-Lok slots at the 3, 6, 9, and a 2" picatinny rail at the 6 & 12 position. The integrated XS Ghost Ring sights allow for quick target acquisition and POF's removable dual port muzzle brake is ideal for fast follow-up shots.



CRISP 3.5 LB TRIGGER



20RD STANDARD MAGAZINE



OVERSIZED SHORT THROW LEVER



- MAGPUL SGA STOCK
- OVERSIZED SHORT THROW LEVER
- HAMMER HALF COCK AND CROSS BOLT TWO POSITION SAFETY
- 3.5 LB SINGLE STAGE TRIGGER

- TOP PICATINNY RAIL SEGMENTS
- 10/20RD MAGAZINES
- 10.5" MLOK MODULAR RECEIVER RAIL
- XS GHOST RING SIGHTS
- LOWER PICATINNY RAIL

- FREE FLOAT FLUTED BARREL
- 1/2X28 THREADED MUZZLE WITH DOUBLE PORT BRAKE



### Available In





### CONFIGURATIONS



FDE RIFLE 9mm | 16.5 in Barrel | 36 IN OAL



SBR | BLACK OR FDE

9mm | 12.5 in Barrel | 31.75 IN OAL

# TOMBASTONE

### STANDARD **FEATURES**

Free Float Fluted Barrel

XS Ghost Ring Sights

(1) 20rd Magazine

Two-Port Muzzle Brake

Hammer Half Cock Position

SPECS	
OAL	36 in
Weight	5.75 lbs
Rifling	1:10
Barrel	16.5 in
Trigger	3.5 lb Single Stage
Eurnituro	Magnul@ CCA@ Ctack

Magpul<sup>®</sup> SGA<sup>®</sup> Stock

Sights Receiver

XS Ghost Ring

Cerakote Finish

Monolithic Upper Handguard Receiver With MLOK

Muzzle

2 Port / Threaded 1/2x28



### DIRECT BLOWBACK

MODE

16.5" RIFLE

WEIGHT
5.3 LBS

CALIBER **9MM** 

LENGTH **34 IN** 

### THE ALL-AMERICAN PCC

Born from the ashes and designed from the ground up. The all new PHOENIX subgun is the perfect plinking platform yet built for serious duty. It's an ideal host for your suppressed shooting and features a 1913 picatinny rail at the rear, making future conversions or adding a brace a breeze. The direct blowback system has proven to be extremely reliable around the world. The PHOENIX will ship with a proprietary 35 round magazine, magazine loader, two port muzzle brake, single point adjustable sling (pistol only) and hand stop.



AMBI FOLDING CHARGING HANDLE



REAR 1913 RAIL + QD CUP



AMBIDEXTROUS LOWER-RECEIVER



- 1. 1913 PICATINNY RAIL
- 2. MISSION FIRST TACTICAL GRIP
- 3. DIRECT BLOWBACK ACTION
- 4. 35RD MAGAZINE (INCLUDED)
- S. MLOK MONOLITHIC RAIL

- 6. AMBI FOLDING CHARGING HANDLE
- 7. HAND STOP (INCLUDED)
- 8. 1/2X28 THREADED MUZZLE
  WITH DOUBLE PORT BRAKE



### CONFIGURATIONS



PISTOL
9mm | 8 in Barrel | 17.5 in OAL



9mm | 8 in Barrel | 26 in OAL



### STANDARD FEATURES

Match Grade 4150 Steel Barrel

Midlength Gas System

Blowback Action

Monolithic Upper Receiver

### (1) 35rd Magazine

Trigger	Mil-Spec AR
Furniture	MFT
Receiver	Anodized or
Finish	Cerakote
	Monolithic Upper
Handguard	Receiver With
4.	MLOK
Muzzle	2 Port / Threaded
Muzzte	1/2x28

### SPECS - 8.5 IN PISTOL

OAL	17.5 in
Weight	4.6 lbs
Barrel	8.5 in 1:10 Twist

### SPECS - 16.5 IN RIFLE

OAL	34 in	
Weight	5.3 lbs	
Barrel	16.5 in 1:	10 Twist



### **GAS PISTON**



MOA Guarantee

MODE

16.5" RIFLE

WEIGHT 7.3 LBS

CALIBER

.308 WIN | 6.5 CM

LENGTH

34 IN

### THE AMERICAN REVOLUTION

The REVOLUTION uses a 5.56 bolt carrier and other 5.56 parts allowing for a shorter overall receiver size and reduced weight. This also isn't a normal small frame .308, it's smaller! It features many 5.56 parts; such as charging handle, bolt carrier, cam pin, buffer, heat sink barrel nut, handguard, and 5-position gas piston operating system. The barrel extension, bolt assembly, upper, and lower receiver are the exact same size as those on an AR15. Weighing in at 7.3 lbs. The Revolution features our new Edge Handguard with four built-in QD mounts, and is packed with all you've come to expect from POF-USA. Fully ambidextrous billet receiver set, nickel plated bolt carrier, 5-position adjustable gas piston, single stage match grade trigger, and more.



GEN 4 AMBI LOWER RECEIVER



RENEGADE RAIL + HEAT SINK BARREL NUT



ANTI-TILT BUFFER TUBE



- ANTI-TILT BUFFER TUBE
- **GENY AMBI LOWER RECEIVER**
- AMBI TOMAHAWK CHARGING HANDLE
- MATCH GRADE DROP IN TRIGGER
- STRONG HAND BOLT HOLD OPEN

- 5.56 BOLT CARRIER GROUP
- MODULAR RAILED RECEIVER & **HEAT SINK BARREL NUT**
- ADJUSTABLE GAS BLOCK
- NITRIDE HEAT TREATED BARREL
- 3 PORT MUZZLE BRAKE
- RIFLE LENGTH 5 POSITION



### CONFIGURATIONS



20" BARREL - 6.5 CM .308 WIN | 20 in Barrel | 41 in OAL



Tungsten

**SBR - 308 WIN** .308 WIN | 12.5 in Barrel | 27 in OAL



### STANDARD **FEATURES**

Match Grade 4150 Steel Barrel

Rifle Length Gas System

Piston Driven Action

E2 Extraction Technology

(1) 20rd Magazine

### SPECS'

OAL (Collapsed) 34 in

Weight - 7.3 lbs

Rifling 1:10

-Barrel 16.5 in

Single Stage 4.5lb Trigger

Furniture MFT

Receiver Finish

Cerakote

Handguard 14.5" M.R.R.

Muzzle

3 Port Brake

### PATENTED TECHNOLOGY



E<sup>2</sup> Chamber



Heat Sink Barrel Nut





**VISIT POF-USA.COM FOR COMPLETE SPECS** 



### **DIRECT IMPINGEMENT**

MODE

16.5" RIFLE

WEIGHT 6.8 LBS

CALIBER

.308 WIN | 6.5 CM

LENGTH

34 IN

### THE AMERICAN REVOLUTION

We broke barriers and won awards when we released the piston driven .308 Revolution. By popular demand, The Revolution DI provides the same technology, same durability, same features, and same AR-15 size, but in a smaller direct impingement system featuring our 9-position adjustable Dictator gas block and Renegade rail. There is virtually nothing left to upgrade. The original Revolution weighed in at a paltry 7.35 pounds, turning heads for its incredible light weight and small stature for a .308. The Revolution DI weighs even less at 6.8 pounds with a 16" barrel, making it ideal for just about any situation you put it in.



GEN 4 AMBI LOWER RECEIVER



RENEGADE RAIL + HEAT SINK BARREL NUT




ANTI-TILT BUFFER TUBE



- 1. ANTI-TILT BUFFER TUBE
- 2. GENY AMBI LOWER RECEIVER
- 3. AMBI TOMAHAWK CHARGING HANDLE
- 4. MATCH GRADE DROP IN TRIGGER
- 5. STRONG HAND BOLT HOLD OPEN

- 6. S.56 BOLT CARRIER GROUP
- 7. RENEGADE RAIL & HEAT SINK BARREL NUT
- 8. RIFLE LENGTH 9 POSITION DICTATOR ADJUSTABLE GAS BLOCK
- 9. NITRIDE HEAT TREATED BARREL
- 10. 3 PORT MUZZLE BRAKE



### CONFIGURATIONS



**20" BARREL - 6.5 CM**6.5 CM | 20 in Barrel | 41 in OAL

# REVOLUTION DIRECT DIMPINGEMENT

### STANDARD FEATURES

Match Grade 4150 Steel Barrel

Rifle Length Gas System

Direct Impingement Action

E2 Extraction Technology

(1) 20rd Magazine

### SPECS'

OAL (Collapsed) 34 in

Weight 6.8 lbs

Rifling 1:10

-Barrel 16.5 in

Trigger Single Stage 4.5lb

Furniture MFT

Receiver Finish

Cerakote

Handguard 14.5" Renegade Rail

Muzzle

3 Port Brake

### PATENTED TECHNOLOGY



E<sup>2</sup> Chamber



Heat Sink Barrel Nut





/ Lam Pin -

# ROGUE

ACTION

### DIRECT IMPINGEMENT



MOA Guarantee

MODE

16.5" RIFLE

WEIGHT
5.9 LBS

CALIBER
.308 WIN

LENGTH

34 IN

### ITS ABOUT THE WEIGHT AND THE SAVINGS

Project "Rogue" was an exercise to turn the Revolution platform into the lightest .308 semi auto rifle on the market, and to do it without needless "lightening" cuts. All while delivering a rifle at a price point affordable to serious shooters. The result is a sub 6 pound .308 rifle packed with proprietary and patented innovations. Thanks to its ridiculously light weight, never before has a semi auto .308 been a more realistic option to carry in the field, no matter how far the journey. The Rogue features a stylized forged receiver set, stainless steel match grade barrel, Revolution DI BCG, ambidextrous selector, multiple QD sling attachment points, and Renegade rail & oversized heatsink barrel nut, all topped off with our Micro B muzzle brake.



LIGHTWEIGHT ROGUE RECEIVER



RENEGADE RAIL + HEAT SINK BARREL NUT



ANTI-TILT BUFFER TUBE



- 1. ANTI-TILT BUFFER TUBE
- 2. MFT GRIP
- 3. STRIKE EAGLE CHARGING HANDLE
- 4. 4.5LB SINGLE STAGE TRIGGER
- 5. FLARED MAGAZINE WELL

- 6. 5.56 BOLT CARRIER GROUP
- 10. MIRCO-B MUZZLE BRAKE
- 7. RENEGADE RAIL & HEAT SINK BARREL NUT
- 8. MIDLENGTH GAS SYSTEM
- 9. 16.5IN MATCH GRADE STAINLESS STEEL BARREL



### Sample CONFIGURATIONS



NEW 13.75" - .308 WIN .308 WIN | 13.75 in Barrel | 37 IN OAL



Olive Drab

.308 WIN - OLIVE DRAB .308 WIN | 16.5 in Barrel | 37 IN OAL

# ROGUE

### STANDARD FEATURES

Match Grade Stainless Steel Barrel

Mid-length Gas System

Direct Impingement Action

E2 Extraction Technology

(1) 20rd Magazine

### SPECS'

OAL (Collapsed) 34 in

Weight 5.9 lbs

Rifling 1:8

-Barrel 16.5 in

Trigger Single Stage 4.5lb

Furniture MFT

Receiver Black Anodized or Finish Color Cerakote

Handguard 11" Renegade Rail

Muzzle Micro-B

### PATENTED TECHNOLOGY



E<sup>2</sup> Chamber



Heat Sink Barrel Nut



Roller Cam Pin

# **PRESCOTT**

### DIRECT IMPINGEMENT

### 20" RIFLE

WEIGHT 7 LBS

CALIBER 6.5 CM

LENGTH

**41 IN** 

### ITS ABOUT THE WEIGHT AND THE SAVINGS

THE ALL NEW PRESCOTT Project "Rogue" was an exercise to turn the Revolution platform into the lightest semi auto rifle on the market, and to do it without needless "lightening" cuts. Built on the Rogue platform, the Prescott makes hunting with a semi-auto reality. At 7 pounds, the Prescott is built for the great outdoors. The Prescott is available in both 6.5 Creedmoor and 6MM Creedmoor.



LIGHTWEIGHT ROGUE RECEIVER



RENEGADE RAIL + HEAT SINK BARREL NUT



ANTI-TILT BUFFER TUBE



- ANTI-TILT BUFFER TUBE
- **LUTH-AR ADJUSTABLE STOCK**
- AMBI CHARGING HANDLE
- TWO STAGE MATCH TRIGGER
- FLARED MAGAZINE WELL

- 5.56 BOLT CARRIER GROUP
- RENEGADE RAIL & HEAT SINK BARREL NUT
- LOW PROFILE GAS BLOCK OR DICTATOR GAS BLOCK (6MM & **CARBON BARREL OPTIONS**
- **FLUTED NITRIDE HEAT** TREATED BARREL
- MIRCO-B MUZZLE BRAKE



### CONFIGURATIONS



6MM CM - PATRIOT BROWN 6.5 CM | 22 in Barrel | 43 IN OAL

## **PRESCOTT**

### STANDARD **FEATURES**

Match Grade 4150 Steel Barrel

Rifle Length Gas System

Direct Impingement Action

E2 Extraction Technology

(1) 20rd Magazine

### SPECS

AL	41	in
Collapsed)	5	- '

7 lbs Weight

Rifling 1:8 / 1:7.5 (6MM)

20 in Barrel

Two Stage 3.51b Trigger

MFT Grip + Luth-AR Furniture Stock

Receiver

Olive Drab

Cerakote Finish

Handguard 14.5" Renegade Rail

Muzzle Micro-B

### PATENTED TECHNOLOGY



E<sup>2</sup> Chamber



Heat Sink Barrel Nut



### RENEGADE\*

ACTION

### **DIRECT IMPINGEMENT**



MOA Guarantee

MODE

### 16.5" RIFLE

WEIGHT 6.3 LBS

CALIBER

5.56 NATO | 300 BLK

LENGTH

34 IN

### **EXCEED ALL EXPECTATIONS**

When we decided to make a direct impingement rifle, it couldn't be another "me-too" carbine. The Renegade + is built off of our Gen 4 billet lower receiver. This receiver is completely ambidextrous and includes our flat 3.5 lb match grade trigger with KNS Precision antiwalk pins. The Renegade + comes with our M-LOK compatible Renegade rail, covering the 16.5" nitride heat treated barrel.



GEN 4 AMBI LOWER RECEIVER



MATCH GRADE TRIGGER



ANTI-TILT BUFFER TUBE



- 1. MFT FURNITURE
- 2. AMBI QO ENDPLATE
- 3. AMBI TOMAHAWK CHARGING HANDLE
- 4. 3.5LB STRAIGHT DROP IN TRIGGER
- 5. GENY FULLY AMBI LOWER RECEIVER

- **6.** KEYLOCK BCG
- 7. RENEGADE HANDGUARD & HEAT SINK BARREL NUT
- 8. DICTATOR ADJUSTABLE GAS BLOCK
- 9. NITRIDE HEAT TREATED 4150 CHROME VANADIUM BARREL
- 10. TRIPLE PORT BRAKE



### CONFIGURATIONS



NEW 13.75 IN BARREL - OD GREEN 5.56 NATO | 13.75 in Barrel | 36 IN OAL



SBR - 5.56 NATO OR 300 BLK | PISTOL ALSO AVAILABLE 5.56 NATO / 300 BLK | 10.5 in Barrel | 28 IN OAL

### RENEGADE\*

### STANDARD FEATURES

Nitride Treated 4150 Chrome Vanadium Barrel

Rifle Length Gas System

Dictator Adjustable Gas Block

Tomahawk Charging Handle

3.5lb Flat Profile Trigger

### SPECS

OAL (Collapsed)	34 in
Weight	6.3 lbs
Rifling	1:8
Barrel	16.5 in
Trigger	3.5lb Match Grade
Furniture	Mission First Tactical
Receiver Finish	Cerakote
Handguard	14.5" MLOK
Muzzle	Triple Port Brake

### PATENTED TECHNOLOGY







Heat Sink Barrel Nut







### **GAS PISTON**

16.5" RIFLE SBR CONFIGURATION SHOWN



MOA GUARANTEE

WEIGHT 7 LBS

CALIBER

5.56 NATO | 300 BLK

LENGTH 34 IN

### **UNSTOPPABLE IN UNFAVORABLE CONDITIONS**

The P415 Edge is a product of continuous development and improvement to the AR platform. E2 Extraction Technology, ambidextrous controls, modular free floating rail platform, and numerous internal improvements. To minimize weigh, the new P415 Edge Rifle features a redesigned handguard, reducing size by nearly 20%. These improvements drop the weight down to 7 lbs.



GEN 4 AMBI LOWER RECEIVER



EDGE RAIL + HEAT SINK BARREL NUT



ANTI-TILT BUFFER TUBE



- ANTI-TILT BUFFER TUBE
- 2. GENY AMBI LOWER RECEIVER
- 3. AMBI TOMAHAWK CHARGING HANDLE
- 4. 4.SLB TRIGGER
- 5. STRONG HAND BOLT HOLD OPEN

- 6. ONE-PIECE BCG
- 7. EDGE RAIL & HEAT SINK BARREL NUT
- 8. ADJUSTABLE GAS SYSTEM
- 9. NITRIDE HEAT TREATED 4150 CHROME VANADIUM STEEL BARREL
- 10. TRIPLE PORT BRAKE



### CONFIGURATIONS



NEW 13.75 SERIES - BURNT BRONZE 5.56 NATO | 13.75 in Barrel | 36 IN OAL



SBR - 5.56 NATO OR 300 BLK | PISTOL ALSO AVAILABLE 5.56 NATO / 300 BLK | 10.5 in Barrel | 28 IN OAL

### STANDARD FEATURES

Nitride Treated 4150 Chrome Vanadium Barrel

Piston Driven Action

GEN4 Lower Receiver

Black Anodized or Burnt Bronze Cerakote Finish

### SPECS

OAL (Collapsed) 34 in

Weight 7 lbs

Rifling 1:8

Barrel 16.5 in

Trigger 4.5lb Trigger

Furniture Mission First
Tactical

Receiver Finish Black Anodized or Colored Cerakote

Handguard 14.5" Edge Rail

Muzzle Triple Port Brake

### PATENTED TECHNOLOGY



E<sup>2</sup> Chamber



Heat Sink Barrel Nut





Roller Cam Pin



### **DIRECT IMPINGEMENT**

MODE

### 16.5" RIFLE

WEIGHT 6.2 LBS

CALIBER

5.56 NATO | 300 BLK

LENGTH
34 IN

**GUARANTEE** 

### **READY AT A MOMENTS NOTICE**

Minutemen were civilian colonists tasked with being a defensive force to be prepared at a moments notice. They took it upon themselves to be trained in various weapons and tactics. We deeply admire their patriotism and self-reliance. The "Minuteman" is our twist on what a direct impingement sporting carbine should be, topped with the controls and enhancements most important to remain mobile and light.

The Minuteman has everything a respectable rifle needs and nothing it doesn't. Mount your favorite optic and the Minuteman is ready for the range or the field right out of the box. Go ahead and stack these features up to your favorite "other brand" carbine. We think you'll be impressed.



PATENTED ROLLER CAM PIN



MATCH GRADE TRIGGER



BUFFER TUBE



- 1. MFT FURNITURE
- 2. ANTI-TILT BUFFER TUBE
- 3. AMBI STRIKE EAGLE CHARGING HANDLE
- 4. 3.5LB DROP IN TRIGGER

- 5. FLARED MAGAZINE WELL
- 6. MIL-SPEC ENHANCED BCG
- 7. RENEGADE HANDGUARD & HEAT SINK BARREL NUT
- 8. MID-LENGTH GAS SYSTEM

- 9. NITRIDE HEAT TREATED 4150 CHROME
  VANADIUM BARREL
- 10. 3 PRONG FLASH HIDER



### CONFIGURATIONS



**SBR - 5.56 NATO OR .350 LEGEND**.350 / 5.56 | 10.5 in Barrel | 28 IN OAL



NEW 13.75 SERIES - 5.56 NATO OR .300 BLK 5.56 / .300 BLK | 13.75 in Barrel | 36 IN OAL

### MINUTEMAN

### STANDARD FEATURES

Nitride Treated 4150 Chrome Vanadium Barrel

Mid-Length Gas System

Strike Eagle Charging Handle

Anodized or Cerakote Finish

3.5lb Flat Profile Trigger

### SPECS

OAL (Collapsed)	34 in
Weight	6.2 lbs
Rifling	1:8
Barrel	16.5 in
Trigger	3.5 lb Match Grade
Furniture	Mission First Tactical
Receiver \ Finish	Anodized
Handguard	14.5" MLOK

### PATENTED TECHNOLOGY



Muzzle

E<sup>2</sup> Chamber



3-Prong Flash Hider

Heat Sink Barrel Nut



Roller Cam Pin



### DIRECT BLOWBACK

MODE

### 8" PISTOL

WEIGHT
3.3 LBS

CALIBER .22 LR

SS IN SERVICE OF THE SERVICE OF THE

### ABOUT PSG-22

Our love of shooting, training, and prepping future shooters were the driving factors of development. We had to bring a quality to this platform which hasn't been seen before. Aside from its light weight of just over 3lbs, the PSG 22 is equipped with a rear Q.D. mount for single point slings, Enhanced Pressure Device, and threaded barrel ready for your suppressor. The receiver accepts AR-15 pattern stock and brace options, and the trigger and selector are also compatible with AR-15 options. The PSG 22 features a monolithic upper receiver and injection molded lower receiver. To top it off, it accepts the widely available 10/22° magazine.



MONOLITHIC UPPER RECEIVER



10/22 MAGAZINE COMPATIBLE



ENHANCED PRESSURE DEVICE







ACCESSORY PARTS

# MIL-SPEC UPGRADES

**OUIT SETTLING FOR "GOOD ENOUGH"** 

When it's time to enhance your AR, look no further than POF-USA. Our proprietary parts are available on their own, empowering you to upgrade to some of the best accessories on the market. See more at POF-USA.com



LEARN MORE





ANTI-TILT BUFFER TUBE



Eliminate stock rotation and prevent carrier tilt by supporting the back of the carrier, as well as reducing wear and tear on the bolt carrier and the buffer tube.





### **KEYLOCK BOLT CARRIER GROUP**



Utlimate Durability. Keylocked, staked, and bolted in. This carrier provides superior gas key stability.

### DICTATOR ADJUSTABLE GAS BLOCK

Our 9-position adjustable gas block features a straight tube to reduce heat build up.



MUZZLE BRAKES, FLASH HIDERS, AND LOCK NUTS



### ROLLER CAM PIN UPGRADE

Never worry about cam slot wear again. Cam Pin upgrade kit features a rounded pin for reduced drag.



### SINGLE STAGE & MATCH TRIGGERS



4lb Single Stage EFP POF Drop-in trigger with KNS anti-walk pins.



4.5lb Curved POF Drop-in trigger with KNS anti-walk pins.



3.5lb Straight POF Drop-in trigger with KNS anti-walk pins.



Specifically designed for use on M-LOK compatible rail systems. Includes mounting hardware.

